

African Americans more likely to use aspirin to prevent heart attacks if peers support it

May 22 2019



Credit: CC0 Public Domain

Cardiovascular disease (CVD) is the leading cause of death in the United States and disproportionately affects African Americans. For some people, taking a daily dose of aspirin is an effective, low cost option for

preventing heart attacks and strokes.

A new study from the University of Minnesota School of Public Health, recently published in the *Journal of Community Health*, detailed the use of [aspirin](#) for CVD prevention in African Americans and found that positive cultural beliefs around taking it make people more likely to adopt the intervention. The study was led by Jeremy Van't Hof, an M.S. student and physician, and co-authored by Professor Russell Luepker, who leads the "Ask About Aspirin" campaign in Minnesota. The campaign encourages patients to ask their providers if taking a daily aspirin is a safe, effective way to help them avoid heart attacks or strokes.

To learn more about aspirin use among African Americans, the researchers surveyed 684 adults ages 45-79 in community settings, including churches, health fairs and gyms. The adults were asked questions regarding their demographics, aspirin use, health behaviors and beliefs, as well as if they'd ever had a heart attack or stroke.

The study found:

- high risk factors for CVD, such as hypertension, were common in people who hadn't yet suffered a [heart attack](#) or stroke;
- the more risk factors a respondent had, the more likely they were to be taking aspirin;
- respondents whose peers thought they should be taking aspirin were seven times more likely to do so;
- people whose peers were taking aspirin were five times more likely to use it themselves;
- adults who had a discussion about aspirin use with their provider were six times more likely to be taking it.

"The findings show that if the [social environment](#) around a prevention

approach is positive, then people are much more likely to do it," says Van't Hof. "It might also mean that a clinic isn't always the best location to reach people and change their behavior. People may feel a greater sense of accountability and more [social support](#) in community settings."

Van't Hof is considering continuing the research by repeating the survey so that he can track CVD risk factors in African Americans and see how their aspirin use plays out over time.

More information: Jeremy R. Van't Hof et al. Aspirin Use for Cardiovascular Disease Prevention in an African American Population: Prevalence and Associations with Health Behavior Beliefs, *Journal of Community Health* (2019). [DOI: 10.1007/s10900-019-00646-5](https://doi.org/10.1007/s10900-019-00646-5)

Provided by University of Minnesota

Citation: African Americans more likely to use aspirin to prevent heart attacks if peers support it (2019, May 22) retrieved 11 February 2023 from <https://medicalxpress.com/news/2019-05-african-americans-aspirin-heart-peers.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--