

Trauma begets trauma: Bullying associated with increased suicide attempts among 12-to-15-year-olds

15 August 2019



Credit: CC0 Public Domain

A new study in the *Journal of the American Academy of Child and Adolescent Psychiatry (JAACAP)*, published by Elsevier, reports that bullying victimization may increase the risk of suicide attempts among young adolescents by approximately three-times worldwide.

"Globally, approximately 67,000 adolescents die of suicide each year and identifying modifiable risk factors for [adolescent](#) suicide is a public health priority," said lead author Ai Koyanagi, MD, and Research Professor at Parc Sanitari Sant Joan de Deu, Barcelona, Spain.

The findings are based on nationally representative data collected through the World Health Organization's (WHO) Global School-based Student Health Survey, which is a school-based survey conducted in multiple countries across the globe.

The study included 134,229 school-going

adolescents aged between 12 and 15 years from 48 countries across five WHO regions, including Africa, the Americas, the Eastern Mediterranean, South-East Asia, and the Western Pacific. The sample was comprised of nine high-income-, 33 middle-income-, and 6 low-income-countries.

The researchers found that more than 30 percent of the adolescents experienced bullying in the past 30 days. Adolescents who were bullied were approximately three-times more likely to report having attempted suicide than those who were not bullied regardless of region.

Dr. Koyanagi and her team also found that the greater number of days adolescents reported being bullied, the more likely they were to report a [suicide attempt](#). When compared to participants who were not bullied, being bullied on more than 20 days in the past 30 was associated with a 5.51 times increased likelihood of reporting suicide attempts.

"The high prevalence of bullying victimization and the substantially heightened dose-dependent risk for suicide attempts among adolescent bullying victims, across multiple continents found in our study, point to the urgent need to implement effective and evidence-based interventions to address bullying for the prevention of adolescent suicides and [suicide](#) attempts worldwide," concluded Dr. Koyanagi.

More information: Ai Koyanagi et al, Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries, *Journal of the American Academy of Child & Adolescent Psychiatry* (2019). DOI: [10.1016/j.jaac.2018.10.018](https://doi.org/10.1016/j.jaac.2018.10.018)

Provided by Elsevier

APA citation: Trauma begets trauma: Bullying associated with increased suicide attempts among 12-to-15-year-olds (2019, August 15) retrieved 28 April 2021 from

<https://medicalxpress.com/news/2019-08-trauma-begets-bullying-suicide-to-year-olds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.