

PrEParing family planning clinics in Kenya to prevent new HIV infections

3 September 2019



In Mugwanya and colleagues' study, 1271 women (approximately half

In a new research paper published in the open access journal *PLOS Medicine*, Kenneth Mugwanya and coauthors report on a study aiming to investigate the feasibility of providing antiretroviral drugs via family planning clinics to prevent HIV infection in young women. Credit: USAFRICOM, Flickr, CCBY

In sub-Saharan Africa, many young women and adolescent girls are at high risk of HIV infection. In a new research paper published in the open access journal *PLOS Medicine*, Kenneth Mugwanya and co-authors report on a study aiming to investigate the feasibility of providing antiretroviral drugs via family planning clinics to prevent HIV infection in young women.

Pre-exposure prophylaxis (PrEP) is a method for preventing HIV infection that involves providing antiretroviral drugs in pill form, and this approach has been successfully used in men who have sex with men. In Africa and elsewhere, preventing new HIV infections in other high-risk population groups, including women and girls, is a priority, and PrEP is one promising method that is undergoing evaluation.



APA citation: PrEParing family planning clinics in Kenya to prevent new HIV infections (2019, September 3) retrieved 27 September 2022 from https://medicalxpress.com/news/2019-09-family-clinics-kenya-hiv-infections.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.