


Artificial intelligence predicts treatment outcome for diabetes-related vision loss

January 28 2020



Researchers developed a new algorithm that can use a single OCT scan to predict whether a patient with diabetic macular edema is likely to respond to anti-VEGF treatments. They tested it on pretreatment OCT images (top row) and used post-treatment OCT images (bottom row) to track response to treatment. Case 24 and 36 responded to treatment. Credit: Sina Farsiu, Duke University

A new approach that uses artificial intelligence to analyze retinal images could one day help doctors select the best treatment for patients with vision loss from diabetic macular edema. This diabetes complication is a major cause of vision loss among working-age adults.

Anti-vascular endothelial growth factor (VEGF) agents are widely used as the first line of therapy for diabetic macular edema, but they don't

work for everyone. There's a need to identify who would benefit from the therapy because it requires multiple injections that are costly and burdensome for both patients and physicians.

"We developed an algorithm that can be used to automatically analyze [optical coherence tomography](#) (OCT) images of the retina to predict whether a patient is likely to respond to anti-VEGF treatments," said research team leader Sina Farsiu from Duke University. "This research represents a step toward precision medicine, in which such predictions help clinicians better select first-line therapies for patients based on specific disease conditions."

In The Optical Society (OSA) journal *Biomedical Optics Express*, Farsiu and colleagues show that the new algorithm can analyze just one pre-treatment volumetric scan to accurately predict whether a patient is likely to respond to anti-VEGF therapy.

"Our approach could potentially be used in eye clinics to prevent unnecessary and costly trial-and-error treatments and thus alleviate a substantial treatment burden for patients," Farsiu said. "The algorithm could also be adapted to predict therapy response for many other eye diseases, including neovascular age-related macular degeneration."

Predicting treatment responseThe algorithm developed by the researchers is based on a novel convolutional neural network (CNN) architecture, a type of [artificial intelligence](#) that can analyze images by assigning importance to various aspects or objects. They used the algorithm to examine images acquired with OCT, a noninvasive technology that produces high-resolution cross-sectional [retinal images](#) and is the standard of care for assessing and treating many eye conditions.

"Unlike previously developed approaches, our algorithm requires OCT

images from only a single pretreatment timepoint," said Reza Rasti, first author of the paper and a postdoctoral scholar in Farsiu's laboratory.

"There's no need for time-series OCT images, patient records or other metadata to predict therapy response."

The new algorithm preserves and highlights global structures in the OCT image while enhancing local features from diseased regions to efficiently use retinal thickness information. To help with treatment decision making, the researchers incorporated an additional step that looks for CNN-encoded features that are highly correlated with anti-VEGF response.

Testing the algorithmThe researchers tested their [new algorithm](#) with OCT images from 127 patients who had been treated for diabetic macular edema with three consecutive injections of anti-VEGF agents. They applied the algorithm to analyze OCT images taken before the anti-VEGF injections, then compared the algorithm's predictions to OCT images taken after anti-VEGF therapy to confirm whether the [therapy](#) improved the condition.

Based on the results, the researchers calculated that the [algorithm](#) would have an 87 percent chance of correctly predicting who would respond to treatment. It exhibited an average precision and specificity of 85 percent and a sensitivity of 80 percent.

Next, the researchers plan to confirm and extend the findings from this pilot study by performing a larger observational trial of patients who have not yet undergone treatment.

More information: Reza Rasti et al, Deep learning-based single-shot prediction of differential effects of anti-VEGF treatment in patients with diabetic macular edema, *Biomedical Optics Express* (2020). [DOI: 10.1364/BOE.379150](https://doi.org/10.1364/BOE.379150)

Provided by The Optical Society

Citation: Artificial intelligence predicts treatment outcome for diabetes-related vision loss (2020, January 28) retrieved 3 March 2023 from <https://medicalxpress.com/news/2020-01-artificial-intelligence-treatment-outcome-diabetes-related.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.