


Connecting patients: Talking about congenital heart disease

10 February 2020, by From Mayo Clinic News Network, Mayo Clinic News Network



Credit: CC0 Public Domain

Congenital heart disease (congenital heart defect) is one or more abnormalities in your heart's structure that you're born with. This most common of birth defects can alter the way blood flows through your heart. Defects range from simple, which might cause no problems, to complex, which can cause life-threatening complications.

Advances in diagnosis and treatment mean most babies who once died of congenital heart disease survive well into adulthood. However, signs and symptoms of the condition can occur in adults later in life, even those who had treatment as a child.

If you have congenital heart disease you might need care throughout your life. Check with your [health](#) care provider to determine how often you should be seen as an adult.

Join the congenital heart disease page on Mayo Clinic Connect Share stories and resources, learn about clinical trials and find other useful information to help you and your loved ones on the journey. Depending on the severity of your congenital heart disease, treatment might be aimed at correcting the [congenital heart defect](#) or

dealing with complications caused by the [defect](#). Treatment might include:

Watchful waiting. Relatively minor heart defects might require only periodic checkups with your health care provider to make sure your condition doesn't worsen. Ask your health care provider how often you need to be seen.

Medications. Some mild congenital heart defects can be treated with medications that help the heart work more efficiently. You might also need medications to prevent blood clots or to control an [irregular heartbeat](#).

Implantable heart devices. Devices that help control your heart rate (pacemaker) or that correct life-threatening irregular heartbeats (implantable cardioverter-defibrillator, or ICD) can help some of the complications associated with congenital heart defects.

Special procedures using [catheters](#). Some congenital heart defects can be repaired using catheterization techniques, which allow the repair to be done without surgically opening the chest and heart. In these procedures, a thin tube (catheter) is inserted into a leg vein and guides it to the heart with the help of X-ray images. Once the catheter is in position, the specialist threads tiny tools through the catheter to repair the defect.

Open-heart surgery. If catheter procedures can't fix your heart defect, your doctor might recommend open-heart surgery.

Heart transplant. If a serious heart defect can't be repaired, a heart transplant might be an option.

Needed follow-up care Many adults with congenital heart [disease](#) believe they've either outgrown their condition or that childhood treatment cured them. This might not be true, depending on the type of defect.

If you have [congenital heart disease](#), even if you had surgery as a child, you're at risk of developing complications. So it's important to have lifelong follow-up care, especially if you had corrective heart surgery.

This follow-up care could be as simple as having periodic checkups with your health care provider, or it may involve regular screenings for complications. The important thing is to discuss your care plan with your [health care provider](#) and make sure you follow all recommendations.

Ideally, a cardiologist trained in treating adults with congenital [heart](#) defects will manage your care.

©2020 Mayo Foundation for Medical Education and Research

Distributed by Tribune Content Agency, LLC.

APA citation: Connecting patients: Talking about congenital heart disease (2020, February 10) retrieved 12 November 2022 from <https://medicalxpress.com/news/2020-02-patients-congenital-heart-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.