

# Two-person-together MRI scans of couples reveal how the brain perceives touch

April 28 2020

---



Two people together in an MRI Scanner along with the accompanying image of their brains. Credit: Ville Renvall/ Aalto University

Researchers at Aalto University and Turku PET Centre have developed a new method for simultaneous imaging brain activity from two people, allowing them to study social interaction.

In a recent study, the researchers scanned [brain activity](#) from 10 couples. Each couple spent 45 minutes inside the MRI scanner in physical contact with each other. The objective of the study was to examine how [social contact](#) activates the [brain](#). The results were published in the theme issue

"Social Interaction in Neuropsychiatry" of the journal *Frontiers in Psychiatry*.

"This is an excellent start for the study of natural interaction. People don't just react to [external stimuli](#), but adjust their actions moment-by-moment based on what they expect to happen next," says Riitta Hari, emerita Professor at Aalto University.

Ordinary magnetic resonance imaging is used to scan one person at a time. In the device developed at Aalto University, the head coil used for regular brain scans was divided into two separate coils. This new design allows for simultaneous scanning of two brains, when the individuals are positioned close enough to each other inside the scanner. During scanning, the participants were face-to-face, almost hugging each other.

When instructed by the researchers, the subjects took turns in tapping each other's lips. Looking at the brain scans, the researchers could see that the motor and sensory areas of the couples' brains were activated.

## **Studying the fundamentals of human interaction**

"During [social interaction](#), people's brains are literally synchronized. The associated mental imitation of other people's movements is probably one of the basic mechanisms of social interaction. The new technology now developed will provide totally new opportunities for studying the brain mechanisms of social interaction," says Professor Lauri Nummenmaa from Turku PET Centre.

"For example, during a conversation or problem solving, people's brain functions become flexibly linked with each other. However, we cannot understand the brain basis of real-time social interaction if we cannot simultaneously scan the brain functions of both persons involved in social interaction," Riitta Hari says.

**More information:** Ville Renvall et al, Imaging Real-Time Tactile Interaction With Two-Person Dual-Coil fMRI, *Frontiers in Psychiatry* (2020). [DOI: 10.3389/fpsyt.2020.00279](https://doi.org/10.3389/fpsyt.2020.00279)

Provided by Aalto University

Citation: Two-person-together MRI scans of couples reveal how the brain perceives touch (2020, April 28) retrieved 14 July 2023 from <https://medicalxpress.com/news/2020-04-two-person-together-mri-scans-couples-reveal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.