


Movement recovery after stroke depends on the integrity of connections between the cerebral cortex and the spinal cord

16 December 2020



Credit: M.Nzarova et al.

A team of scientists, with the first author from the HSE University, were investigating which factors are the most important for the upper limb motor recovery after a stroke. The study is published in *Stroke*.

A stroke occurs when there is a blockage or rupture of a blood vessel feeding the brain. About 400,000 stroke cases are registered in Russia annually. Stroke is a disease, which occurs mostly in older ages but not only, for instance in Russia every 7th stroke happens in [young people](#). Today there are more than 1.5 million people living in Russia who are in need of motor, speech, or cognitive rehabilitation due to stroke. The impairment in the upper limb is the most common and one of the most challenging for rehabilitation.

The extent to which the brain is damaged and movements are impaired after a stroke varies greatly among patients. How effectively a patient

will regain his/her functions after a stroke depends both on the severity of the damage and the adequacy of the rehabilitation interventions. Assessment can be conducted using functional and structural approaches of brain imaging.

The published article is dedicated to a study of the relationship between the degree of movement recovery in the upper limb and the structural and functional state of the motor system, assessed using methods of transcranial magnetic stimulation (TMS) and magnetic resonance imaging (MRI). The study included 35 patients of young and middle age (in average 47 years old), who had a stroke more than six months prior to the study. The patients were divided into three groups depending on the level to which they regained movement in their upper limb: good, moderate, and bad.

The study showed that the structural integrity of the corticospinal tract assessed using structural MRI is the best predictor for the upper limb motor recovery. At the same time, the assessment of the state of the unaffected cerebral hemisphere and the integrity of the connections between the hemispheres did not have an additional value for classification when data on the integrity of the corticospinal tract were available.

The corticospinal tract is a pathway that connects the cerebral cortex with the spinal cord, allowing voluntary limb movement.

In addition, the study showed that the methods of MRI and TMS are equally effective for assessing the condition of the corticospinal tract in patients in chronic phase after stroke and can be used interchangeably when it is necessary to select a group of patients with low levels of recovery.

"However, it is important to consider that when

assessing the motor system using TMS, it is necessary to study the evoked motor responses in several muscles of the upper [limb](#). This makes it possible to reduce the number of false negative results—cases in which muscle responses to stimulation were not found, although the [corticospinal tract](#) was partially preserved," says Maria Nazarova, research fellow at the Institute for Cognitive Neurosciences of HSE University.

The findings of the study can be used both to better understand the processes of recovery after a stroke and to plan individual motor rehabilitation in [stroke](#) survivors.

More information: Maria Nazarova et al, Multimodal Assessment of the Motor System in Patients With Chronic Ischemic Stroke, *Stroke* (2020). DOI: [10.1161/STROKEAHA.119.028832](https://doi.org/10.1161/STROKEAHA.119.028832)

Provided by National Research University Higher School of Economics

APA citation: Movement recovery after stroke depends on the integrity of connections between the cerebral cortex and the spinal cord (2020, December 16) retrieved 11 October 2022 from <https://medicalxpress.com/news/2020-12-movement-recovery-cerebral-cortex-spinal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.