

Acne treatment only addresses half of the problem

February 12 2021, by J.d. Warren



Credit: Pixabay/CC0 Public Domain

A more aggressive approach to treating acne that marries the disciplines of psychology and dermatology is needed, according to two UC Riverside psychology researchers. They also assert that women and

people with darker skin disproportionately suffer from acne's psychological impacts.

Researchers Misaki Natsuaki and Tuppett Yates assert that [acne](#) can be dismissed, including by developmental scientists, as an [adolescent](#) rite of passage—a cosmetic nuisance. The insinuation can be that hurtful monikers such as "pizza face" and "crater face" are best shrugged off.

But psychological effects of acne among adolescents are often "toxic," the researchers say. In advocating for a reconsideration of treatment, they allude to the prevalence of acne among adolescents—20% suffer from moderate to severe acne, and 85% experience recurrent bouts.

Numerous studies show direct links between acne and depression, anxiety, and suicidal thoughts. Teens with acne have more difficulty forming friendships, finding romantic partners, and feeling connected to school.

When shown a photograph of a teenager with facial acne, 65% of adolescents said skin was the first thing they notice. In a photo of a clear-skinned teen, youth said they noticed the skin first only 14% of the time. Young people attribute to adolescents who suffer acne traits such as "nerdy," "stressed," and "lonely."

And research has shown females experience negative psychological impacts at a rate higher than males.

"Aesthetic ideals of clear and unblemished skin are held by both sexes," the researchers wrote in their recent paper, "Adolescent Acne and Disparities in Mental Health," published by the journal *Child Development Perspectives*. "But females experience greater social pressure to attain these ideals than males."

Adolescents with [darker skin](#) color, many of whom come from ethnic-racial minority backgrounds in the United States, are likely to suffer disproportionate effects of acne because of heightened incidence of post-acne scarring and hyperpigmentation.

The authors argue that structural systems of inequality, which fuel health care disparities in the United States, further exacerbate acne and related psychosocial distress among individuals receiving [public health insurance](#), who are more likely to belong to one or more ethnic-racial minority groups. The complex infrastructure of the health insurance system, uneven geographical density of health care providers, and reluctance to provide dermatology appointments to children with public insurance all contribute these disparities, the researchers wrote. In one study, only 29% of dermatology clinics schedule appointments with children on public insurance, whereas 96% of children with private insurance received appointments.

Adolescent acne should be reconsidered as a disease with effects similar to other serious illnesses, the researchers conclude, citing specific illnesses including diabetes and epilepsy.

The recently published study is a follow-up to a study Natsuaki published this past year. In that study, Natsuaki suggested that an effective-but-tightly-regulated acne medication, isotretinoin, should be revisited. Isotretinoin was associated with a higher incidence of adolescent suicide—a link some say was unwarranted—and Natsuaki asserted the benefits of the drug outweigh its risks.

More information: Eva Ritvo et al. Psychosocial judgements and perceptions of adolescents with acne vulgaris: A blinded, controlled comparison of adult and peer evaluations, *BioPsychoSocial Medicine* (2011). [DOI: 10.1186/1751-0759-5-11](https://doi.org/10.1186/1751-0759-5-11)

Provided by University of California - Riverside

Citation: Acne treatment only addresses half of the problem (2021, February 12) retrieved 3 January 2023 from <https://medicalxpress.com/news/2021-02-acne-treatment-problem.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.