


COVID-19 drugs: What are they and how do they work?

24 February 2021, by From Mayo Clinic News Network



Credit: Unsplash/CC0 Public Domain

Although there is only one approved by the U.S. Food and Drug Administration (FDA) to treat coronavirus disease 2019 (COVID-19), many medications are being tested.

The FDA has approved an antiviral drug called remdesivir (Veklury) to treat COVID-19 in adults and children who are age 12 and older. Remdesivir may be prescribed for people who are hospitalized with COVID-19. It's given through a needle in the skin (intravenously). The FDA has granted an emergency use authorization for the rheumatoid arthritis drug baricitinib (Olumiant) to treat COVID-19 in some cases. Baricitinib is a pill that seems to work against COVID-19 by reducing inflammation and having antiviral activity. The FDA states baricitinib may be used in combination with remdesivir in people who are hospitalized with COVID-19 who are on mechanical ventilators or need supplemental oxygen.

Researchers are studying other potential treatments for COVID-19, including:

 Antiviral drugs. In addition to remdesivir, other antiviral drugs being tested include

- favipiravir and merimepodib. Studies have found that the combination of lopinavir and ritonavir isn't effective.
- Dexamethasone. The corticosteroid dexamethasone is one type of antiinflammatory drug that researchers are studying to treat or prevent organ dysfunction and lung injury from inflammation. Studies have found that it reduces the risk for deaths by about 30% for people on ventilators and by about 20% for people who needed supplemental oxygen. The U.S. National Institutes of Health has recommended this drug for people hospitalized with COVID-19 who are on mechanical ventilators or need supplemental oxygen. Other corticosteroids, such as prednisone, methylprednisolone or hydrocortisone, may be used if dexamethasone isn't available. Dexamethasone and other corticosteroids may be harmful if given for less severe COVID-19 infection.
- Anti-inflammatory therapy. Researchers study many <u>anti-inflammatory drugs</u> to treat or prevent dysfunction of several organs and lung injury from infection-associated inflammation.
- Immune-based therapy. Researchers study the use of a type of immune-based therapy called convalescent plasma. The FDA has granted emergency use authorization for convalescent plasma therapy to treat COVID-19. Convalescent plasma is blood donated by people who've recovered from COVID-19. It is used to treat people who are ill with COVID-19 in the hospital.Researchers also study other immune-based therapies, including mesenchymal stem cells and monoclonal antibodies. Monoclonal antibodies are proteins created in a lab that can help the immune system fight off viruses. Three monoclonal antibody medications have



received emergency use authorization from the FDA. One medication is called bamlanivimab and the second medication is a combination of bamlanivimab and etesevimab. The third medication is a combination of two antibodies called casirivimab and imdevimab. All three drugs are used to treat mild to moderate COVID-19 in people who have a higher risk of developing serious illness due to COVID-19. Treatment consists of a single intravenous infusion given in an outpatient setting. To be most effective, these medications need to be given soon after COVID-19 symptoms start and prior to hospitalization.

- Drugs being studied that have uncertain effectiveness. Researchers study amlodipine and losartan. But it's not yet known how effective these drugs may be in treating or preventing COVID-19. Ivermectin and famotidine aren't likely to be beneficial in treating COVID-19.
- Hydroxychloroquine and chloroquine. These
 malaria drugs were authorized for
 emergency use by the FDA during the
 COVID-19 pandemic. However, the FDA
 withdrew that authorization when data
 analysis showed that the drugs are not
 effective for treating COVID-19. They can
 also cause serious heart problems.
- Drugs to prevent COVID-19. Researchers are studying drugs to prevent COVID-19 before and after exposure to the virus.

It's not known if any of these will prove to be effective against COVID-19. It's critical to complete medical studies to determine whether any of these medications are effective against COVID-19.

Don't try these medications without a prescription and your doctor's approval, even if you've heard that they may have promise. These drugs can have serious side effects. They're reserved for people who are seriously ill and under a doctor's care.

©2021 Mayo Clinic News Network
Distributed by Tribune Content Agency, LLC
APA citation: COVID-19 drugs: What are they and how do they work? (2021, February 24) retrieved 10
June 2022 from https://medicalxpress.com/news/2021-02-covid-drugs.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.