


Antioxidant-primed stem cells show promise in repairing bone damaged by radiation

22 March 2021



Irradiation caused significant impairment of SSC stemness via inactivation of MAPK pathways. FA rescued the irradiated SSC partially via reactivated MAPK signaling. Credit: AlphaMed Press

The standard of treatment for bone tumors is often two-fold: surgery to remove the cancerous section followed by radiation therapy to ensure all the cancerous cells have been killed off. This is an effective way to defeat bone tumors; however, it often results in large bone defects and hampers wound healing because of extensive tissue cutoff and irradiation-induced tissue damage. A new study published in *STEM CELLS Translational Medicine* demonstrates how stem cells primed with ferulic acid can repair such bone damage and how this occurs. The information this study provides could aid in the development of new treatments for irradiated bone injuries.

Heng Zhu, M.D., Ph.D., of the Beijing Institute of Radiation Medicine (BIRM), and Li Ding, M.D., Ph.D., of the Air Force Medical Center in the

People's Republic of China, were co-corresponding authors of the paper. BIRM colleagues Jia-Wu Liang, M.D, and Pei-Lin Li, M.D., were co-first authors.

"One prime concern of [radiation therapy](#) is that it impairs the 'stemness' of skeletal stem cells (SSCs), meaning that it affects their ability to self-renew and differentiate, which are assets critical to [bone](#) regeneration and repair," said Dr. Zhu. "Despite this, little information is available regarding the change in SSC stemness after irradiation and the related underlying regulatory factors. This limits our level of understanding regarding SSC-based bone regeneration."

While seeking a way to restrict radiation's harmful effects on SSCs, Dr. Zhu and his team became interested in ferulic acid (FA). FA is a potent antioxidant commonly found in fruits and vegetables that exhibits strong anti-inflammatory properties and has been widely applied in the prevention of cardiovascular disease, diabetes, cancer and more. It is also known to alleviate radiation-induced stem cell damage.

"Given the fundamental role of SSCs in bone regeneration and the potential role of FA in irradiation protection, we hypothesized that FA combined with SSCs might be effective in reconstructing irradiated bone defects. We explored this idea using an in vitro cell model and an in vivo animal model. Moreover, the cellular and [molecular mechanisms](#) underlying the protective effects of FA on SSCs were also investigated," Dr. Ding said.

For the in vitro phase of their study, the researchers seeded irradiated SSCs and nonirradiated SCCs onto culture plates and then added FA at different concentrations to determine the potential effects of FA on SSC proliferation, differentiation and self-

renewal.

To explore the repairing capacity of SSC on irradiated bone defects in an animal model, the hind limbs and lower abdomens of mice were locally irradiated and then bone defect surgeries were conducted an hour later. Nonirradiated mice that underwent surgery served as bone defect controls. Microcryogels that had been seeded with either FA-primed SSCs or SSCs alone were then injected into the bone defect areas of the irradiated mice. The same concentration of microcryogel without SSCs was used in another group of irradiated animals, as a control. Finally, to study the effects of FA on bone repair, FA solution was injected into irradiated bone defects.

The results were then evaluated at intervals of one, two and three weeks post-radiation. They showed that FA significantly rescued the radiation-induced impairment of SSCs by activating the p38/MAPK and ERK/MAPK pathways, which are chains of proteins in cells that communicate signals from receptors on a cell's surface to its DNA. As such, they play an important role in proliferation, differentiation, development, transformation, apoptosis and other complex cellular programs.

Moreover, the FA substantially enhanced the bone repair effects of SSCs in the irradiated bone defect mice.

"This work unveils that FA promotes the maintenance of skeletal stem cells' stemness after irradiation. It also defined activation of the p38/MAPK and ERK/MAPK pathways as the molecular underlying mechanism governing FA activity," said Dr. Liang "Notably, our data shows that SSC is very sensitive to irradiation and exhibits impaired stemness, which adds new information to understanding bone osteoporosis and hindered bone repair post-radiation."

"While several studies previously published have shown that FA can enhance and improve stem cell self-renewal and that its activity is mediated through activation of p38/MAPK and ERK/MAPK pathways, ours is the first to demonstrate that FA enhances the bone repair effects of SSCs," Dr. Li added. "As such, we believe that targeting SSCs

has potential as a novel strategy in treating irradiated bone injury."

"In the current study, promising data demonstrates that stem [cells](#) combined with ferulic acid, a potent antioxidant agent, enhanced the bone repair effects of skeletal [stem cells](#) in an irradiated bone defect," said Anthony Atala, M.D., Editor-in-Chief of *STEM CELLS Translational Medicine* and Director of the Wake Forest Institute for Regenerative Medicine. "These findings could someday lead to new treatment standards for bone tumors."

More information: Jia?Wu Liang et al, Ferulic acid promotes bone defect repair after radiation by maintaining the stemness of skeletal stem cells, *STEM CELLS Translational Medicine* (2021). [DOI: 10.1002/sctm.20-0536](https://doi.org/10.1002/sctm.20-0536)

Provided by AlphaMed Press

APA citation: Antioxidant-primed stem cells show promise in repairing bone damaged by radiation (2021, March 22) retrieved 27 October 2022 from <https://medicalxpress.com/news/2021-03-antioxidant-primed-stem-cells-bone.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.