

First-ever vaccine for malignant brain tumors reported safe, effective in early trial

March 24 2021

Credit: Unsplash/CC0 Public Domain

Tumor vaccines can help the body fight cancer. Mutations in the tumor genome often lead to protein changes that are typical of cancer. A vaccine can alert the patient's immune system to these mutated proteins. For the first time, physicians and cancer researchers from Heidelberg and Mannheim have now carried out a clinical trial to test a mutationspecific vaccine against malignant brain tumors. The vaccine proved to be safe and triggered the desired immune response in the tumor tissue, as the team now reports in the journal *Nature*.



Diffuse gliomas are usually incurable brain tumors that spread throughout the brain and are difficult to remove completely by surgery. Chemotherapy and radiotherapy often have only a limited effect. In many cases, diffuse gliomas share a common feature: In more than 70% of patients, the <u>tumor cells</u> have the same gene mutation. An identical error in the DNA causes a single, specific protein building block to be exchanged in the IDH1 (Isocitrate dehydrogenase 1) enzyme. This creates a novel protein structure, known as a neo-epitope, which can be recognized as foreign by the patient's immune system.

"Our idea was to support patients' immune systems and to use a <u>vaccine</u> as a targeted way of alerting it to the <u>tumor</u>-specific neo-epitope," explained study director Michael Platten, Medical Director of the Department of Neurology of University Medicine Mannheim and Head of Division at the German Cancer Research Center (DKFZ). The IDH1 mutation is a particularly suitable candidate here, as it is highly specific to the gliomas and does not occur in healthy tissue. Moreover, the IDH1 mutation is responsible for the development of these gliomas: "That means that a vaccine against the mutated protein allows us to tackle the problem at the root," Platten added.

Promising preclinical results

Platten's team generated an artificial version of the segment of the IDH1 protein with the characteristic mutation several years ago. This mutation-specific peptide vaccine was able to halt the growth of IDH1-mutated cancer cells in mice. In 2019, Platten was awarded the German Cancer Prize for this discovery.

Encouraged by these results, Platten and a team of physicians decided to test the mutation-specific vaccine for the first time in a phase I study in patients newly diagnosed with a IDH1-mutated glioma (WHO grades III and IV astrocytomas). A total of 33 patients at several different centers



in Germany were enrolled in the study. In addition to the <u>standard</u> <u>treatment</u>, they received the peptide vaccine produced by Michael Schmitt, head of cellular immunotherapy, Department of Hematology, Oncology and Rheumatology at Heidelberg University Hospital, and Stefan Stevanovic, professor of molecular immunology at the Department of Immunology, University of Tübingen. The <u>immune</u> <u>response</u> was evaluated in 30 patients.

The physicians did not observe any serious side effects in any of the patients who were vaccinated. In 93% of the patients, the immune system showed a specific response to the vaccine peptide and did so regardless of the patient's genetic background, which determines the immune system's important presentation molecules, the HLA proteins.

In a large proportion of the vaccinated patients, the physicians observed pseudoprogression, swelling of the tumor caused by a host of invading immune cells. These patients had a particularly large number of T helper cells in their blood with immune receptors that responded specifically to the vaccine peptide, as single cell sequencing revealed. "We were also able to demonstrate that the activated mutation-specific immune cells had invaded the brain tumor tissue," reported Theresa Bunse from DKFZ, who coordinated the immunological analyses for these studies.

The three-year survival rate after treatment was 84% in the fully vaccinated patients, and in 63% of patients tumor growth had not progressed within this period. Among the patients whose immune system showed a specific response to the vaccines, a total of 82% had no tumor progression within the three-year period.

Vaccine concept being pursued

"We cannot draw any further conclusions about the vaccine efficacy from this early study without a control group," remarked Michael



Platten. "The safety and immunogenicity of the vaccine were so convincing that we continued to pursue the vaccine concept in a further phase I study."

In this follow-on study, the researchers are combining the IDH1 vaccine with checkpoint inhibitor immunotherapy. "Checkpoint inhibitors act as an immune boost. We believe there is a good chance that they can activate the immune cells against the gliomas to an even greater extent." The study is being implemented in cooperation with other centers in Germany and with support from the German Cancer Consortium (DKTK).

The researchers are also preparing a phase II study to examine for the first time whether the IDH1 vaccine leads to better treatment results than the standard treatment alone. "Gliomas are diagnosed in around 5,000 people in Germany every year, of which about 1,200 are diffuse gliomas with an IDH1 mutation. Up to now, we have usually had only limited success in halting tumor progression in these patients. We believe that the IDH1 vaccine offers the potential for developing a treatment that can suppress these tumors more effectively and on a long-term basis," commented study co-director Wolfgang Wick, Medical Director of the Neurological Clinic of Heidelberg University Hospital and Head of Division at DKFZ.

More information: A vaccine targeting mutant IDH1 in newly diagnosed glioma, *Nature* (2021). DOI: 10.1038/s41586-021-03363-z

Provided by German Cancer Research Center

Citation: First-ever vaccine for malignant brain tumors reported safe, effective in early trial (2021, March 24) retrieved 3 October 2023 from <u>https://medicalxpress.com/news/2021-03-first-</u>



ever-vaccine-malignant-brain-tumors.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.