

New portable gamma ray camera could help speed up cancer diagnosis

31 March 2021, by Peter Warzynski



Dr Sarah Bugby with the HGC device. Credit: Loughborough University

Scientists have designed a portable 3D imaging device which will improve the treatment and diagnosis of cancer.

Current handheld [gamma](#) imaging tools are small and easy to use, but are limited to providing 2D information, giving doctors and surgeons only part of the overall picture.

Much larger systems are able to give [three-dimensional images](#), however, they are bulky and complex—often occupying entire rooms.

Now, researchers from Loughborough University have published a paper which shows it is possible to combine the best aspects of both devices.

Lead author Dr. Sarah Bugby, of the School of Science, is developing the Hybrid Gamma Camera (HGC) – a [device](#) about the size of a hairdryer which can easily be carried to wherever it is needed.

The original 2D HGC was created around five

years ago at Leicester and Nottingham universities, where Dr. Bugby joined the project before bringing the camera to Loughborough to continue the work.

It works by taking two [images](#) from slightly different angles and calculating the exact position of whatever it is observing, the exact same way astronomers measure the vast distances to stars.



Credit: Loughborough University

Dr. Bugby said: "We showed that it was possible to conduct handheld stereoscopic gamma imaging, which will provide 3D rather than 2D information.

"By combining gamma and optical imaging, this 3D information will tell the user where and how deep a source of radioactivity is inside a particular material.

"This has applications in radioguided surgery—where a surgeon is looking for a source of radioactivity within the body for example during cancer treatment and diagnosis—and may also find use in other areas in the [nuclear industry](#)."


The University is also hoping to work with

academics in Uruguay to get the camera into the hands of physicians.

The device would give [medical professionals](#) greater flexibility as there are only three large imagers in the country—at medical centers in Montevideo, Durazno and Salto—which are capable of gamma imaging.



Credit: Loughborough University




Credit: Loughborough University

Dr. Bugby said: "Currently, a patient must travel to one of those centers, in some cases hundreds of kilometers away, for initial imaging, then travel back to their city of origin for surgery.

"A nuclear medicine physician must travel to the city where the surgery will be performed, bringing a gamma probe, in order to help the surgeon, locate the sentinel node during surgery.

"If patients cannot attend one of the nuclear medicine centers, they won't have SLN performed and they will have all their axillary nodes removed with its associated morbidity, basically, a more invasive [surgery](#) than would otherwise be needed."

The camera works by using a pinhole in the center of the device which allows an image of the source of gamma radiation to be taken.



The camera works by using a pinhole in the centre of the device which allows an image of the source of gamma radiation to be taken. Credit: Loughborough University

Doing this twice from two slightly different positions allows the [camera](#) to triangulate the exact distance from the source giving an accurate 3D reading.

Due to the compact size of the gamma imaging technology, this could be done with a handheld system.

More information: S L Bugby et al. Stereoscopic portable hybrid gamma imaging for source depth estimation, *Physics in Medicine & Biology* (2021). DOI: [10.1088/1361-6560/abd955](https://doi.org/10.1088/1361-6560/abd955)

Provided by Loughborough University

APA citation: New portable gamma ray camera could help speed up cancer diagnosis (2021, March 31) retrieved 6 May 2021 from <https://medicalxpress.com/news/2021-03-portable-gamma-ray-camera-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.