

New assay detects marker of metastatic cancers, infection, trauma and neurological disease

April 13 2021



Credit: CC0 Public Domain

Scientists at the Walter Reed Army Institute for Research demonstrated the potential of a novel blood test for cathepsin B, a well-studied protein

important to brain development and function, as an indicator for a range of disease states.

Cathepsin B plays an important role in the body, regulating the metabolism, immune responses, degradation of improperly produced proteins and other functions. Under certain conditions, such as metastatic cancers, infections, trauma and neurological disease, cathepsin B production is upregulated. Recent research published by WRAIR researchers highlighted the potential of cathepsin B as an indicator, or biomarker, of the severity of traumatic brain injury.

In this study, published in *ACS Omega*, researchers demonstrated an ultrasensitive assay to measure cathepsin B in blood. While high levels of cathepsin B are readily detectable in aspirates, biopsies and [cerebrospinal fluid](#), a [blood test](#) is particularly desirable due to its ease of use with little risk to the patient.

"Although cathepsin can be abundant in some tissues, [accurate measurement](#) in blood has been a challenge, especially if changes are expected to be small or sample is limited," said Dr. Bharani Thangavelu, lead author on the paper and researcher at WRAIR's Brain Trauma Neuroprotection Branch. "Our strategy uses an ultrasensitive technique to improve cathepsin B detection from small volumes of [blood](#) with little to no noise or impact from interfering substances."

Biomarkers are a source of great interest to researchers due to their potential to dramatically improve both the diagnosis and categorization of disease. Furthermore, they have the potential to validate treatment strategies by indicating whether drugs have reached their proposed targets and achieved therapeutic benefits.

Researchers plan to continue developing and testing the assay, ultimately aiming to develop it into a small, portable diagnostic tool.

"Biomarker tests that accurately reflect the extent and severity of injury can dramatically improve the standard of care, minimizing the need for resource-intensive diagnostics," said Dr. Angela M. Boutté, author and section chief of molecular biology and proteomics within BTN. "This would allow for early, accurate detection as well as monitoring of injury or disease. This aspect is particularly important for assessment of TBI on the battlefield to help guide medical decisions."

More information: Bharani Thangavelu et al, Single Molecule Assay for Ultrasensitive Detection of Cathepsin B in Human Blood, *ACS Omega* (2021). [DOI: 10.1021/acsomega.1c00180](https://doi.org/10.1021/acsomega.1c00180)

Provided by Walter Reed Army Institute of Research

Citation: New assay detects marker of metastatic cancers, infection, trauma and neurological disease (2021, April 13) retrieved 31 December 2022 from <https://medicalxpress.com/news/2021-04-assay-marker-metastatic-cancers-infection.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.