


Novel agent shows promise in treating the most aggressive type of breast cancer

21 April 2021



Credit: Unsplash/CC0 Public Domain

A unique antibody drug conjugate (ADC), which delivers a high dose of a cancer-killing drug to tumor cells through a targeted antibody, has been found in a global phase 3 clinical study to nearly double the survival time of patients with refractory metastatic triple-negative breast cancer. The study of the ADC drug sacituzumab govitecan (SG), for which Massachusetts General Hospital (MGH) was a lead clinical research site after serving as the lead site for the pivotal phase 1/2 trial, reported superior outcomes compared to single-agent chemotherapy, the standard for treating metastatic triple-negative breast cancer. The phase 3 results of the study, known as ASCENT, were published in the *New England Journal of Medicine*.

"Favorable results with SG versus chemotherapy were observed in terms of progression-free survival (the length of time the cancer was kept from spreading); the amount of time between the start of treatment and cancer progression; and overall survival—the length of time before death from any cause," says global principal investigator Aditya Bardia, MD, MPH, an attending physician in the Department of Medical Oncology at Mass

General Cancer Center. "These statistically significant findings give patients with this devastating disease new cause for hope. We need to build on that progress and accelerate further development of antibody [drug](#) conjugates and combination therapies for patients with breast cancer."

Metastatic triple-negative breast cancer is the most aggressive type of breast cancer with a poor prognosis. Chemotherapy has remained the only standard treatment option, but it is associated with low response rates and short progression-free survival. SG, which was developed and is manufactured by Immunomedics, a subsidiary of Gilead Sciences, received accelerated approval by the U.S. Food and Drug Administration in April 2020 on the basis of favorable phase 1/2 clinical trials, with full approval contingent on the confirmatory phase 3 results.

ASCENT is a global study to evaluate the safety and efficacy of the antibody drug conjugate compared to chemotherapy in 529 patients with metastatic triple-negative breast cancer whose cancer had relapsed or was resistant to at least two other forms of therapy. The investigators found that median progression-free survival with the ADC agent was 5.6 months compared to 1.7 months with chemotherapy, and that median overall survival was 12.1 months with the ADC agent compared to 6.7 months with chemotherapy. The study also found that the response rate—that is, shrinkage in the size of the metastatic tumor sites—was 35% after administration of ADC compared to 5% with [chemotherapy](#).

ADCs are complex molecules that combine the targeting capabilities of monoclonal [antibodies](#) with the cancer-killing strength of cytotoxic drugs. In the case of sacituzumab govitecan, the monoclonal antibody seeks out the antigen (or protein), known as Trop-2 that is overexpressed on the surface of [tumor cells](#), and delivers the anti-cancer drug

SN-38 in a highly concentrated dose that destroys cancerous cells while sparing normal ones. ADCs have been established as a treatment option for HER2-positive breast cancer.

"We believe antibody drug conjugates are particularly promising as building blocks for effective new combination treatments," says Bardia. "The goal is to not only improve patient outcomes, but also to establish ADCs as first-line therapy or even earlier so that these powerful agents can play a role in preventing the spread of triple-negative [breast cancer](#)."

Provided by Massachusetts General Hospital

APA citation: Novel agent shows promise in treating the most aggressive type of breast cancer (2021, April 21) retrieved 21 April 2021 from <https://medicalxpress.com/news/2021-04-agent-aggressive-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.