

Needle size not tied to postdural puncture headache in orthopedic patients

May 25 2021



(HealthDay)—No cases of postdural puncture headache (PDPH) were



reported in a cohort of patients receiving spinal injections with smaller or larger needles for spinal anesthesia during orthopedic procedures, according to a study presented at the annual Regional Anesthesiology and Acute Pain Medicine Meeting, held from May 13 to 15 in Lake Buena Vista, Florida.

Andrew Wong, M.D., from Duke University Medical Center in Durham, North Carolina, and colleagues conducted a retrospective chart review to examine PDPH incidence among patients who received spinal injections for spinal anesthesia during orthopedic procedures. The incidence of PDPH was compared with use of a 22-gauge Quincke cutting needle and a 25-gauge pencil-point needle.

Data were included for 3,980 patients who received spinal injections for orthopedic procedures, ranging in age from 18 to 90 years, with an average body mass index of 29.57 kg/m². The researchers found no reported incidences of PDPH.

"Given the benefits of larger gauge cutting needles in performing successful spinals, these results suggest that practitioners can opt for these needles first, reducing the number of attempts needed for success and minimizing the overall time for the procedure, patient discomfort from multiple attempts, and the waste of smaller non-cutting needles," the authors said in a statement.

More information: Abstract

More Information

Copyright © 2021 HealthDay. All rights reserved.

Citation: Needle size not tied to postdural puncture headache in orthopedic patients (2021, May 25) retrieved 25 December 2022 from https://medicalxpress.com/news/2021-05-needle-size-tied-



postdural-headache.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.