

Yellow fever mosquitoes evolve different strategies to resist pesticides

17 June 2021




Fig 1. Bioassay to differentiate three phenotypes in *Aedes aegypti* exposed to permethrin (15 ug/bottle) for 1 h. Total number of mosquitoes used in bioassays are shown. Pooled libraries were prepared using 25 individual mosquitoes from each phenotypic group. Credit: Saavedra-Rodriguez K et al., 2021, *PLOS Genetics*

The Yellow fever mosquito (scientific name, *Aedes aegypti*) spreads multiple untreatable viruses in humans and is primarily controlled using a pesticide called permethrin. However, many mosquitoes are evolving resistance to the pesticide. A new study by Karla Saavedra-Rodriguez of Colorado State University and colleagues, published in the journal *PLOS Genetics*, identifies mutations linked to different permethrin resistance strategies, which threaten our ability to control disease outbreaks.

When treated [mosquitoes](#) encounter [permethrin](#) in the wild, they will do one of the following: immediately die, be knocked out but recover, or be unaffected. Saavedra-Rodriguez and her colleagues decided to investigate the genetic variations that lead to these three responses to the pesticide. The team collected mosquitoes from a permethrin-resistant colony in Tapachula, Mexico,

exposed them to the pesticide in the lab and then sequenced the genomes from each group.

When they compared the genomes from the three types of mosquitoes, they found that unaffected mosquitoes primarily had mutations in VGSC, a gene for a cellular sodium channel known to be involved in pesticide resistance. To a lesser extent, these mosquitoes also carried mutations in detoxification genes and cuticle protein genes. The cuticle makes up the insects' tough outer shell and can slow the pesticide as it enters the body. Insects that recovered from exposure had mutations in cuticle protein genes and in a different group of detoxification [genes](#). The results show that there are distinct genetic changes behind these two types of permethrin resistance.

The results of the new study will help scientists to track [mutations](#) linked to resistance in populations of the Yellow fever mosquito from Southeastern Mexico. This knowledge can help scientists understand how mosquitoes have evolved resistance and when a population can no longer be controlled with permethrin. This understanding will be necessary to develop tools to support future insecticide management strategies.



Aedes aegypti mosquito larvae. Credit: NIAID (CC BY 2.0, 2016)

More information: Saavedra-Rodriguez K, Campbell CL, Lozano S, Penilla-Navarro P, Lopez-Solis A, Solis-Santoyo F, et al. (2021) Permethrin resistance in *Aedes aegypti*: Genomic variants that confer knockdown resistance, recovery, and death. *PLoS Genet* 17(6): e1009606.
doi.org/10.1371/journal.pgen.1009606

Provided by Public Library of Science

APA citation: Yellow fever mosquitoes evolve different strategies to resist pesticides (2021, June 17) retrieved 12 July 2022 from <https://medicalxpress.com/news/2021-06-yellow-fever-mosquitoes-evolve-strategies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.