


Blood test helps predict who may benefit from lung cancer screening

January 7 2022



Credit: CC0 Public Domain

A blood test, combined with a risk model based on an individual's history, more accurately determines who is likely to benefit from lung cancer screening than the current U.S. recommendation, according to a

study published today in the *Journal of Clinical Oncology* led by researchers from The University of Texas MD Anderson Cancer Center.

A personalized lung [cancer](#) risk assessment, combining a [blood test](#) based on a four-marker protein panel developed at MD Anderson and an independent model (PLCO_{m2012}) that accounts for smoking history, was more sensitive and specific than the 2021 and 2013 U.S. Preventive Services Task Force (USPSTF) criteria. The study included participants from the [Prostate, Lung, Colorectal, and Ovarian \(PLCO\) Cancer Screening Trial](#) with at least a 10 pack-year smoking history. If implemented, the [blood](#) test plus model would have identified 9.2% more lung cancer cases for screening and reduced referral to screening among non-cases by 13.7% compared to the 2021 USPSTF criteria.

"We recognize that a small percentage of people who are eligible for lung cancer screening through an annual low-dose CT scan are actually getting screening. Moreover, CT screening is not readily available in most countries. So, our goal, for many years, has been to develop a [simple blood test](#) that can be used first to determine need for screening and make screening for lung cancer that much more effective," said Sam Hanash, M.D., Ph.D., professor of Clinical Cancer Prevention and leader of the McCombs Institute for the Early Detection and Treatment of Cancer. "Our study shows for the first time that a blood test could be useful to determine who may benefit from lung cancer screening."

The USPSTF recommends that adults at high risk for lung cancer receive a low-dose CT scan each year, which was shown to reduce lung cancer deaths in the 2011 National Lung Screening Trial (NLST). The 2021 USPSTF criteria applies to adults age 50 to 80 who have at least a 20 pack-year smoking history and currently smoke or have quit within the past 15 years.

Hanash and colleagues developed a blood test incorporating biomarkers

that they previously identified as predictive of lung cancer risk. A multicenter team used a blinded study to evaluate the performance of this four-protein marker panel in combination with the PLCO_{m2012} model, which was independently developed and validated to predict a six-year risk for lung cancer among individuals who currently smoke or smoked formerly.

"When we began work on a blood test, there were many different types of markers," Hanash said. "We've done multiple analyses over the past decade to come up with a cost-effective test that's simple, yet robust, which has been the guiding principle of our research."

To test the combination of blood markers with the PLCO_{m2012} model, the researchers analyzed more than 10,000 biospecimens from the PLCO study, including 1,299 [blood samples](#) collected from 552 individuals who developed lung cancer and 8,709 samples collected from 2,193 people who did not develop lung cancer.

Among individuals with at least a 10 pack-year smoking history, the combined blood test with PLCO_{m2012} model showed overall improved sensitivity (88.4% versus 78.5%) and improved specificity (56.2% versus 49.3%), compared to the current USPSTF criteria. If implemented, the combined personalized risk assessment would have identified 105 of the 119 people in the PLCO intervention arm who received a lung cancer diagnosis within one year.

"A blood test would identify people who could benefit from [lung](#) cancer screening but are not eligible today," Hanash said. "Tens of millions of people worldwide could benefit from [lung cancer](#) screening. If you can improve [screening](#) eligibility by even 5%, that is incredibly impactful."

While the blood test could be implemented as a lab-developed [test](#) in the near future, Food and Drug Administration approval likely would

require evaluation through a prospective clinical trial.

More information: Blood-Based Biomarker Panel for Personalized Lung Cancer Risk Assessment, *Journal of Clinical Oncology* (2022).
ascopubs.org/doi/abs/10.1200/JCO.21.01460

Provided by University of Texas M. D. Anderson Cancer Center

Citation: Blood test helps predict who may benefit from lung cancer screening (2022, January 7)
retrieved 5 February 2024 from
<https://medicalxpress.com/news/2022-01-blood-benefit-lung-cancer-screening.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.