


Radiologists, AI systems show differences in breast-cancer screenings, new case study finds

April 28 2022



In these three examples of soft tissue lesions, the images are unperturbed on the left column and blurred on the right column. The AI system was sensitive to the blurring, while the radiologists were not. This showed that the AI system relies on details in soft tissue lesions that are considered irrelevant by the radiologists. Credit: Taro Makino, NYU's Center for Data Science

Radiologists and artificial intelligence systems yield significant differences in breast-cancer screenings, a team of researchers has found. Its work, which appears in the journal *Scientific Reports*, reveals the potential value of using both human and AI methods in making medical diagnoses.

"While AI may offer benefits in healthcare, its decision-making is still poorly understood," explains Taro Makino, a doctoral candidate in NYU's Center for Data Science and the paper's lead author. "Our findings take an important step in better comprehending how AI yields medical assessments and, with it, offer a way forward in enhancing cancer detection."

The analysis centered on a specific AI tool: Deep neural networks (DNNs), which are layers of computing elements—"neurons"—simulated on a computer. A network of such neurons can be trained to "learn" by building many layers and configuring how calculations are performed based on data input—a process called "[deep learning](#)."

In the *Scientific Reports* work, the scientists compared breast-cancer screenings read by radiologists with those analyzed by DNNs.

The researchers, who also included Krzysztof Geras, Ph.D., Laura Heacock, MD, and Linda Moy, MD, faculty in NYU Grossman School of Medicine's Department of Radiology, found that DNNs and radiologists diverged significantly in how they diagnose a category of malignant breast cancer called soft tissue lesions.

"In these breast-cancer screenings, AI systems consider tiny details in mammograms that are seen as irrelevant by radiologists," explains Geras. "This divergence in readings must be understood and corrected before we can trust AI systems to help make life-critical medical decisions."

More specifically, while radiologists primarily relied on brightness and shape, the DNNs used tiny details scattered across the images. These details were also concentrated outside of the regions deemed most important by [radiologists](#).

By revealing such differences between human and machine perception in medical diagnosis, the researchers moved to close the gap between academic study and [clinical practice](#).

"Establishing trust in DNNs for [medical diagnosis](#) centers on understanding whether and how their perception is different from that of humans," says Moy. "With more insights into how they function, we can both better recognize the limits of DNNs and anticipate their failures."

"The major bottleneck in moving AI systems into the clinical workflow is in understanding their decision-making and making them more robust," adds Makino. "We see our research as advancing the precision of AI's capabilities in making health-related assessments by illuminating, and then addressing, its current limitations."

More information: Taro Makino et al, Differences between human and machine perception in medical diagnosis, *Scientific Reports* (2022).

[DOI: 10.1038/s41598-022-10526-z](https://doi.org/10.1038/s41598-022-10526-z)

Provided by New York University

Citation: Radiologists, AI systems show differences in breast-cancer screenings, new case study finds (2022, April 28) retrieved 24 November 2023 from

<https://medicalxpress.com/news/2022-04-radiologists-ai-differences-breast-cancer-screenings.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.