

People who think luck decides their fate are at elevated risk of severe gum disease

June 17 2022



Credit: Pixabay/CC0 Public Domain

People who believe that luck or chance determine what happens to them are more likely to have severe gum disease compared with those who think their own actions are mainly responsible. That's the finding of a study presented at EuroPerio10, the world's leading congress in periodontology and implant dentistry organized by the European Federation of Periodontology (EFP).

"The finding that this belief system is linked with [oral health](#) should encourage [dental professionals](#) to assess the emotional state of their patients and, if necessary, refer them to appropriate [psychological care](#)," said study author Dr. Sebastien Jungo of the University of Paris, France. "A few simple questions should be asked, such as: 'According to you, what causes your disease?' and 'How can it be treated?' Answers to these questions could be important for optimizing adherence to treatment."

This study examined the relationships between these beliefs, oral health, and socioeconomic and psychological factors. For the belief system, patients were categorized as having an external or internal locus of control. Dr. Jungo explained: "Locus of control is the extent to which people believe that the outcomes of life events are due to their own actions (internal locus of control) or factors over which they have little influence (external locus of control). For example, students who fail an exam more readily attribute the result to an outside cause (e.g. difficult exam, bad luck) if they have an external locus of control but to their own mistakes or lack of work if they have an internal locus of control."

The study enrolled 79 consecutive patients who attended a periodontal consultation at Bretonneau University Hospital, Paris. Data were collected on lifestyle (e.g. smoking) and socioeconomic factors (income, [education level](#), marital status). Participants completed questionnaires to determine locus of control, stress level and depressed mood. The degree of plaque control and number of teeth were recorded. Patients were taught good oral hygiene habits including how to brush and floss their teeth.

In a healthy mouth, the gums fit tightly around each tooth. Periodontal disease causes destruction of the bone surrounding the teeth, which leads to deeper pockets around the teeth, loss of attachment to the surrounding structures, and potentially tooth loss. During a second consultation an average of 2 weeks later, the following assessments were performed

which indicate the severity of gum disease: 1) whether the gums bleed on probing; 2) pocket depth; 3) maximum attachment loss.

The average age of participants was 46 years and 66% were women. Twenty participants (25%) had an external locus of control and 59 (75%) had an internal locus of control. The median depressed mood score was twice as high in the external locus group compared with the internal locus group.

Around three-quarters of the external locus group had a low education level compared with around half of the internal locus group. Regarding oral health, the average number of teeth lost was three in the external locus group and one in the internal locus group. The maximum attachment loss was significantly higher in the external versus internal locus group (9.95 mm versus 8.38 mm, respectively).

The researchers conducted multivariable analyses to examine the association between locus of control, oral health, and socioeconomic and [psychological factors](#). The analyses were adjusted for factors that could influence the relationships such as number of teeth, education level, maximum attachment loss, stress score, living alone, depression score, and age. External locus of control was significantly associated with depression score, education level, number of teeth and maximum attachment loss, with odds ratios of 1.21, 0.6, 0.67 and 1.31, respectively.

Dr. Jungo said: "Having an external locus of control was independently associated with more tooth loss and attachment loss, indicating greater severity of periodontitis. In addition, these patients were more likely to be depressed and have a lower education level. The findings suggest that this group may need encouragement to consider periodontitis a manageable disease, particularly if they are feeling low."

More information: The relation of external locus of control with depression, education level and periodontitis severity, [EuroPerio10](#)

Provided by European Federation of Periodontology (EFP)

Citation: People who think luck decides their fate are at elevated risk of severe gum disease (2022, June 17) retrieved 3 July 2023 from <https://medicalxpress.com/news/2022-06-people-luck-fate-elevated-severe.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.