


Reducing stroke risk in children with severe heart failure

June 23 2022, by Beata Mostafavi



Credit: Jacob Dwyer, Michigan Medicine

Hospitals across the country are teaming up to improve outcomes in kids who need mechanical heart pumps for congenital heart disease or heart failure.

Children who experience severe heart failure, including those waiting for a [heart transplant](#), often need a [mechanical heart](#) pump to help their

bodies circulate blood.

While this surgically implanted [ventricular assist device](#), or VAD, is necessary, it comes with the risk of causing a blood clot that can lead to a [stroke](#)—an outcome once experienced by up to one in three children who use a heart pump.

But a group of clinicians, researchers, and parents from across the country have been working together to reduce [stroke risk](#) for this population of kids, and now, new research published in *Pediatric Cardiology* suggests that they're making gains.

Following years of sharing data, [best practices](#) and implementing interventions through a collaborative called the Advanced Cardiac Therapies Improving Outcomes Network, also known as ACTION, stroke rates decreased for children with artificial heart pumps, according to the Michigan Medicine led study.

"Pediatric heart failure is a very serious, life-threatening condition that has been under resourced and gone years without proven therapies," said lead author David Peng, M.D., pediatric cardiologist and director of pediatric heart failure and mechanical circulatory support at University of Michigan Health C.S. Mott Children's Hospital.

"Leaders in the field have come together to improve outcomes for these children, recently making it a top priority to reduce stroke risk."

Those efforts are making a difference, suggests the study that appears in *Pediatric Cardiology*. Researchers analyzed data from 407 children with VADs between 2018 and 2021 through the ACTION collaborative, which includes nearly 50 centers across the U.S.

Forty-five children with an implanted device in the study, or 11%,

experienced at least one stroke. Stroke rates were previously reported as high as 33% in pediatric VAD patients.

Peng noted that about one in four children on a heart transplant waiting list will require a VAD.

"As pediatric heart providers, our community is working better together and this collaboration is having a huge impact on outcomes," Peng said. "We are transparently sharing and reviewing each other's stroke data to see how we can learn from these experiences and continue to decrease risks for kids."

"We are all committed to improving care for our pediatric heart patients and everyone wins from collaboration over competition."

The study comes four years after ACTION launched a quality improvement initiative across the network in an attempt to decrease stroke risk for children with heart failure.

"We worked to improve the way we measure and control blood pressure, manage anticoagulation, and communicate across teams," Peng said. "Without creating a brand-new heart pump or any new technologies, we were able to decrease the stroke risk across all of our centers by simply sharing and standardizing care."

The study suggests that younger patients with [heart failure](#), particularly babies, toddlers and those of smaller size, are still at highest risk of stroke after a device implant. Those who experienced a stroke were also more likely to have a [congenital heart disease](#) or to have used extracorporeal membrane oxygenation, commonly known as ECMO, at the time of using an [artificial heart](#) pump.

Based on these data, Peng says, ACTION is now focused on improving

outcomes for these higher-risk patients.

"We are demonstrating that pediatric mechanical heart pumps are safer than they've ever been," Peng said. "While we've made great progress, some [children](#) still have an unacceptably high risk of adverse outcomes, which means we still have a way to go."

More information: David M. Peng et al, Decreased Risk of Strokes in Children with Ventricular Assist Devices Within ACTION, *Pediatric Cardiology* (2022). [DOI: 10.1007/s00246-022-02863-7](https://doi.org/10.1007/s00246-022-02863-7)

Provided by University of Michigan

Citation: Reducing stroke risk in children with severe heart failure (2022, June 23) retrieved 21 November 2023 from <https://medicalxpress.com/news/2022-06-children-severe-heart-failure.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--