


Modeling how MRSA bacteria spread on the body can enhance treatments

August 17 2022



The observed decrease in MRSA carriage detection over time by body site and study arm compared with the decrease predicted by the model. In the trial, study subjects were in the education group or the decolonization group, which consisted of applying mupirocin to the nares, chlorhexidine mouthwash (CHG Oral) to the throat and chlorhexidine body washes (CHG Skin) to the skin and, if present, wound. The figure shows site-specific and total-body carriage probabilities and clearance rates in the two groups, along with model predictions. We note that the number of samples from wounds was relatively small, which yielded larger uncertainty in the wound-associated estimates. Visits approximately took place in one (V1), three (V2) and six (V3) months after enrollment (ENRL, i.e. hospital discharge) in the trial. Dotted lines and shaded regions represent the mean and 90% credible intervals (CI) of the model predictions, and the dots connected by the solid lines represent values observed in the data. Credit: *Journal of The Royal Society Interface* (2022). DOI: 10.1098/rsif.2021.0916

MRSA is an antibiotic-resistant staph infection that can be deadly for those in hospital care or with weakened immune systems.

Staphylococcus aureus bacteria live in the nose without necessarily producing any symptoms but can also spread to other parts of the body, leading to persistent infections. Management of MRSA is long-term and laborious, so any steps to optimize treatments and reduce re-infections will benefit patients. New research can predict how effective different treatments will be by combining patient data with estimates of how MRSA moves between different parts of the body. The study was published in *Journal of the Royal Society Interface* in July 2022.

The researchers compared data from 2,000 patients with MRSA after hospital visits. In one group, patients were given standard information about how to treat MRSA and prevent its spread. The second group followed a more intensive "decolonization" protocol to eliminate MRSA through wound disinfection, cleaning the armpits and groin, and using [nasal spray](#). Both groups were tested for MRSA on different [body parts](#) at various time points over nine months.

The current state-of-the-art in [medical research](#) often involves comparing two groups in this way, to see if an intervention or treatment could be effective. The new study added another element: a [mathematical model](#) that looked at the interactions between treatments and body parts. "The model shows how MRSA moves between body parts," says senior author Pekka Marttinen, professor at Aalto University and the Finnish Center for Artificial Intelligence FCAI. "It can help us optimize the combination of treatments and even predict how new treatments would work before they have been tested on patients."

Based on the patients' MRSA tests—whether bacteria were present in the nose, skin, throat or wounds over time—the researchers could calculate the probability that an infection will move to another part of the body, depending on the patient's treatment group. There was less

internal transmission of MRSA around the body in the decolonization group, for example. "Decolonization itself works," says Marttinen, "but out of all the treatment protocols we wanted to know, can we find the best or simplest way to get rid of MRSA?"

The model confirmed that MRSA spreads primarily from the nose. The nasal spray by itself was found to be very effective, but the model also showed that nasal spray plus disinfecting mouthwash was a more powerful combination against MRSA. "In fact," says first author Onur Poyraz, a doctoral researcher at Aalto, "each different treatment had a positive contribution to the clearance of MRSA, which is something we could only discover and quantify through this model."

The results also provide a pathway for [drug development](#) to improve the treatments and medicines used for MRSA decolonization; for example, enhanced skin disinfection with either nose spray or mouthwash could virtually eliminate MRSA in a hypothetical scenario. "Using a mathematical model allows to investigate all the different parts of a clinical protocol, hopefully contributing to the design of more efficient treatments and giving better guidance for doctors," says Poyraz.

A follow-up to this research, from the same research group, will examine the genomes of MRSA and how they contribute to the efficiency of the treatments.

More information: Onur Poyraz et al, Modelling methicillin-resistant *Staphylococcus aureus* decolonization: interactions between body sites and the impact of site-specific clearance, *Journal of The Royal Society Interface* (2022). [DOI: 10.1098/rsif.2021.0916](https://doi.org/10.1098/rsif.2021.0916)

Provided by Aalto University

Citation: Modeling how MRSA bacteria spread on the body can enhance treatments (2022, August 17) retrieved 1 February 2023 from <https://medicalxpress.com/news/2022-08-mrsa-bacteria-body-treatments.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.