

Many types of leisure time activities may lower risk of death for older adults

August 24 2022



Credit: Unsplash/CC0 Public Domain

Older adults who participate weekly in many different types of leisure time activities, such as walking for exercise, jogging, swimming laps, or playing tennis, may have a lower risk of death from any cause, as well as

death from cardiovascular disease and cancer, according to a new study led by researchers at the National Cancer Institute, part of the National Institutes of Health.

The findings suggest that it's important for [older adults](#) to engage in leisure time activities that they enjoy and can sustain, because many types of these activities may lower the risk of death, the authors wrote.

The findings appear August 24 in *JAMA Network Open*.

Using data from 272,550 adults between the ages of 59 and 82 who had completed questionnaires about their leisure-time activities as part of the NIH-AARP Diet and Health Study, the researchers looked at whether participating in equivalent amounts of seven different exercise and [recreational activities](#)—including running, cycling, swimming, other [aerobic exercise](#), racquet sports, golf, and walking for [exercise](#)—was associated with lowered risk of death.

The researchers found that achieving the recommended amount of physical activity per week through any combination of these activities was associated with a 13% lower risk of death from any cause compared with no participation in these activities. When they looked at the role of each activity individually, playing racquet sports was associated with a 16% reduction in risk and running with a 15% reduction. However, all the activities investigated were similarly associated with lower risks of death.

The second edition of the Physical Activity Guidelines for Americans recommends that adults engage in 2.5 to 5 hours of moderate-intensity aerobic physical activity, or 1.25 to 2.5 hours of vigorous-intensity aerobic physical activity, each week.

The levels of activity by the most active individuals (those who exceeded

the recommended levels of physical activity) were associated with even greater reductions in the risk of death, but there were diminishing returns as activity levels increased. Even people who did some recreational activity, though less than the recommended amount, had a 5% reduction in risk of death than those who did not participate in any of the activities studied.

These activities were also associated with a lower risk of [death](#) from [cardiovascular disease](#) and [cancer](#). Playing racquet sports was associated with the greatest reduction in risk of cardiovascular deaths (27% reduction), while running was associated with the greatest reduction in risk of cancer deaths (19% reduction).

More information: Associations of leisure time physical activity types and risks of all-cause, cardiovascular, and cancer mortality among older adults, *JAMA Network Open* (2022). [DOI: 10.1001/jamanetworkopen.2022.28510](#)

Provided by National Cancer Institute

Citation: Many types of leisure time activities may lower risk of death for older adults (2022, August 24) retrieved 22 November 2023 from <https://medicalxpress.com/news/2022-08-leisure-death-older-adults.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--