

Can supplements or diet reduce symptoms of arthritis? Here's what the evidence says

August 29 2022, by Clare Collins



Credit: Shutterstock

[Arthritis is a disease](#) that affects body joints. There are more than [100 types](#) of arthritis, with more than [350 million people](#) affected around the globe, including about [four million Australians](#).

Arthritis causes pain and disability and commonly reduces quality of life. In Australia in 2015, about [54,000 people aged 45–64](#) couldn't work due to severe [arthritis](#). Their median income was only a quarter of the

income of full-time workers who did not have arthritis.

So it is not surprising some people want to try different diets, supplements or therapies to see if they alleviate symptoms or help them gain a [sense of control](#) over their condition.

However, a [major review](#) found specific supplements or [food components](#) were unlikely to lead to *significant* improvements in arthritis outcomes such as stiffness, pain and function.

The main nutrition recommendation was to adopt healthy eating patterns.

Remind me, what causes arthritis? And what are the symptoms?

[Risk factors](#) for developing arthritis include ones you can't control—such as genetics, sex, and age—and some you may be able to, such as smoking, repetitive injuries, [body weight](#), occupation and some infections.

Types of arthritis include osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, juvenile arthritis, gout, systemic lupus erythematosus (lupus) and scleroderma.

Common [symptoms include](#):

- pain
- stiffness or reduced joint movement
- swelling, redness and warmth in the joints.

Less specific symptoms include tiredness, weight loss or feeling unwell.

So what does the evidence say about supplements?

The [European Alliance of Associations for Rheumatology](#), the expert European group on arthritis, recently published a detailed critique on [diet and supplement use in arthritis](#). It synthesised findings from 24 systematic reviews of existing research as well as an additional 150 extra studies, covering more than 80 different dietary components and supplements.

The alliance identified there were limited studies on each individual product with the majority of studies being of low quality. This means that for most supplements they couldn't make recommendations about whether or not to use them.

However, for osteoarthritis and rheumatoid arthritis, although most studies were of low or moderate quality, a few supplements had positive effects.

Vitamin D, chondroitin and glucosamine

For osteoarthritis, there was moderate-quality evidence supporting a small positive effect on pain and function for taking vitamin D, chondroitin and glucosamine (both compounds found in cartilage) supplements.

Here, moderate quality means although the studies had some limitations and their results should be interpreted with caution, they can be used to guide recommendations.

This suggests people could choose to try these common supplements for a few months and see whether they get any benefit, but stop taking them if there is no improvement in their symptoms.

Fish oil

For rheumatoid arthritis, there was moderate quality evidence for a small positive effect on pain for omega-3 (fish) oils.

Again, people could try these supplements for a few months and see whether they get any benefit, but stop taking them if there is no improvement.

Other supplements

For all other arthritis categories, and other specific dietary components or supplements, the evidence was [rated](#) as low to very low ([see tables 1–5 in this link](#)).

This means any improvements in arthritis outcomes could be due to chance or bias, with positive results more likely to be published, or potential bias occurring when a trial was sponsored by a [supplement](#) manufacturer.

What does it all mean?

Current research indicates it's unlikely specific foods, supplements or dietary components affect arthritis outcomes to a large degree.

However, given the [higher risk for heart disease](#) associated with arthritis, the [recommendation](#) is to have a healthy diet and [lifestyle](#) in order to improve your overall health and wellbeing.

So how do you improve your health and wellbeing? Here are five key things to consider:

1. Eat a healthy, varied diet

Eating food—rather than taking supplements—means you get the other

nutrients that foods contain, including healthy sources of fat, protein, dietary fibre and a range of vitamin and minerals essential to maintain a healthy body.

This is why the recommendation for people with arthritis is to eat a healthy diet, because vegetables, fruit, legumes and wholegrains contain a range of phytonutrients needed to help dampen down oxidative stress triggered by inflammatory processes associated with arthritis.

A [healthy diet](#) includes foods rich in omega-3 fats such as fatty fish (salmon, tuna, sardines), chia seeds, flaxseed oil, walnuts, canola oil, and vitamin D (eggs, fish, and milk or margarine fortified with vitamin D). And don't forget [sun exposure](#), which allows the body to produce vitamin D.

2. Avoid alcohol

Alcohol intake should be discussed with your doctor as it can interact with other treatments.

Small amounts of alcohol are unlikely to have negative impacts on arthritis, [unless you have other health issues](#) like liver disease or you take certain medications such as [methotrexate](#) or [leflunomide](#).

For [rheumatoid arthritis](#), moderate alcohol consumption could [increase the risk of arthritis flare ups](#).

Alcohol can also increase the risk of gout flare ups.

3. Aim for a healthy weight

[Aiming for a healthy weight](#) can help arthritis by reducing the load on affected joints such as hips and knees, and by boosting your intake of

healthy foods rich in phytonutrients.

Ask your doctor for support to achieve well managed, intentional weight loss if you're carrying excess weight. You may need referral to an accredited practising dietitian for personalised medical nutrition therapy or to a physiotherapist or exercise physiologist for specific help to improve mobility and physical activity.

4. Be cautious with supplements

If you decide to try specific complimentary therapies or dietary supplements, discuss potential side-effects or interactions with your regular medicines with your doctor and pharmacist.

Try the products for a few months (or as long as one container lasts) so you can monitor any side-effects versus your sense of wellbeing, reduction in use of pain medications and the cost. If you're not getting any benefit then spend that money on more healthy foods instead.

Find out how healthy your diet is by taking our free [Healthy Eating Quiz](#).

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Can supplements or diet reduce symptoms of arthritis? Here's what the evidence says (2022, August 29) retrieved 29 January 2023 from <https://medicalxpress.com/news/2022-08-supplements-diet-symptoms-arthritis-evidence.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
