


Severe COVID-19 impairs the immune system for longer than 6 months

September 8 2022



Graphical outline of the study. Peripheral blood was collected from patients with COVID-19 that needed hospitalization (N=46) and healthy controls (N=31). Clinical parameters were measured at enrollment, and the levels and effects on peripheral immune cells and neutralizing antibodies were assessed at enrollment, 2 weeks, 6 weeks, and 6-8 months. The phenotype of the T cells and B cells were analyzed by flow cytometry, SARS-CoV-2-specific T cells by ELISPOT, and SARS-CoV-2-specific antibodies by serological testing. Credit: *Frontiers in Immunology* (2022). DOI: 10.3389/fimmu.2022.931039

The immune cells of patients who received hospital care for COVID-19 early in the pandemic were still affected six months later. A study conducted by researchers at Linköping University suggests that infection by the SARS-CoV-2 virus leaves significant effects long after the patient is symptom-free. The results have been published in *Frontiers in Immunology*.

"We see that severe COVID-19 infection has long-lasting negative effects on the [immune system](#). Obviously, the immune system is affected pretty badly when people are in hospital sick with COVID, but we had not anticipated that the effects would persist as long as 7-8 months later," says Francis Hopkins, postdoc in the Department of Biomedical and Clinical Sciences at Linköping University.

Several types of cells are important when the immune system starts to combat the SARS-CoV-2 virus. Some [white blood cells](#), B cells, form antibodies that recognize and bind to particular parts of the virus, while several types of T cells help to kill infected cells. In the current study, researchers at Linköping University have looked at whether a severe COVID-19 infection has long-term effects on the body's immune cells.

They looked at 46 patients with COVID-19 who had received care at Vrinnevi Hospital in Norrköping, and 31 healthy control subjects. The researchers analyzed [blood samples](#) taken from the patients when admitted to hospital, and taken 2 weeks, 6 weeks and 6-8 months later. They not only looked at the properties of the virus-specific T cells, but also examined whether the disease had had a general effect on all T cells.

"The effects on the T cells of the immune system are interesting and mixed. Some of them are still activated long after the disease episode, while others are 'fatigued' and cannot function normally. We see similar effects on patients with a chronic HIV infection. The question is: why are these effects still present after so long?" says Marie Larsson, professor of virology at the Department of Biomedical and Clinical Sciences at Linköping University, and leader of the study.

In the early phase of the pandemic, scientists at LiU helped to develop tests that the health care system could use to analyze patient samples. At this early stage, it was not known whether different people's immune systems differed in their ability to form antibodies against the virus. If

so, would this affect the severity of the disease? What the current study showed was that all patients developed antibodies against the virus within 2-3 weeks of first showing symptoms, which has been shown also by several previous studies.

"We see that all the patients in the study developed antibodies against SARS-CoV-2. The levels of these antibodies started to fall after six months," says Melissa Govender, postdoc in the group.

More information: Melissa Govender et al, T cell perturbations persist for at least 6 months following hospitalization for COVID-19, *Frontiers in Immunology* (2022). [DOI: 10.3389/fimmu.2022.931039](https://doi.org/10.3389/fimmu.2022.931039)

Provided by Linköping University

Citation: Severe COVID-19 impairs the immune system for longer than 6 months (2022, September 8) retrieved 29 January 2023 from <https://medicalxpress.com/news/2022-09-severe-covid-impairs-immune-longer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.