


Exploring the consequences of early life adversity on the brain

November 9 2022



Credit: Unsplash/CC0 Public Domain

Using cutting edge molecular techniques in rodent models, researchers are dissecting the neurobiological mechanisms impacted by early life adversity. The findings were presented at Neuroscience 2022, the annual



meeting of the Society for Neuroscience and the world's largest source of emerging news about brain science and health.

Childhood adversity, such as abuse, neglect, poverty, lack of housing, or parental loss, can have a lifetime impact on the brain and behavior. Evidence suggests that early life adversity plays an important role in shaping <u>brain development</u> and is associated with abnormalities of several neurobiological systems.

Adults with more adverse experiences in <u>early childhood</u> are more likely to have health problems including depression and anxiety; in fact, <u>childhood adversity</u> has been estimated to account for 28% of the risk for later-onset <u>psychiatric disorders</u>. With advances in <u>molecular techniques</u>, neuroscientists are using rodent studies to understand the brain cells and circuits underlying the links between early life adversity, brain development, and later-onset psychiatric disorders.

Today's new findings show that:

- Sex differences in anxiety disorders may be mediated by changes in the neuropeptide corticotrophin-releasing factor, which is released in response to stress. (Camila Demaestri, New York State Psychiatric Institute)
- A novel connection between a brain area associated with reward and another brain area associated with stress responses may mediate the effects of early life adversity on motivated behavior. (Tallie Z. Baram, University of California, Irvine)
- Stress during puberty results in increased sensitivity to limited resources during pregnancy, and the combination of stresses has a negative impact on maternal behavior and offspring health outcomes (Kathleen E. Morrison, West Virginia University)
- Ketamine has sex-specific effects on behavioral responses to emotional vocalizations in rats that have experienced early life



adversity (Jennifer A. Honeycutt, Bowdoin College)

"It is known from epidemiological and clinical work that early life adversity is a major risk factor for psychiatric disorders, and neuroscientists are now figuring out why this is at the level of specific neural circuits," says Mar Sanchez, a professor at Emory University School of Medicine who studies the effects of early environment on the development of neural circuits controlling stress physiology and emotion regulation.

"Importantly for the relevance to humans, the research presented today also focuses on the neurobiological mechanisms that lead to sex-specific effects of early life adversity."

More information: Conference:

www.sfn.org/meetings/neuroscience-2022

Conference abstract: www.abstractsonline.com/pp8/#!...
9/presentation/66436

Conference abstract: www.abstractsonline.com/pp8/#!...9/presentation/65370

Conference abstract: www.abstractsonline.com/pp8/#!...9/presentation/77453

Conference abstract: www.abstractsonline.com/pp8/#!...
9/presentation/63165

Provided by Society for Neuroscience



Citation: Exploring the consequences of early life adversity on the brain (2022, November 9) retrieved 21 February 2023 from https://medicalxpress.com/news/2022-11-exploring-consequences-early-life-adversity.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.