

Meningitis vaccination strategy in Africa found to be effective, economical

January 31 2018, by Elisabeth Reitman



Alternative Vaccination Strategy for Meningitis in Africa. Credit: Yale University

In sub-Saharan Africa, meningococcal meningitis continues to pose a serious health threat, with sporadic epidemics resulting in some 30,000 cases each year. While all people are susceptible, young children are at the highest risk, and over 50 percent of those infected will die if not

diagnosed and treated.

An international team of scientists led by Reza Yaesoubi, Ph.D., assistant professor at the Yale School of Public Health, created a novel mathematical model of meningococcal epidemics in Burkina Faso that allowed them to compare several different meningococcal vaccination strategies in terms of their estimated costs and expected health outcomes.

The model revealed that the introduction of newer polyvalent conjugate vaccines into the routine immunization schedule—in combination with a catch-up campaign during which children and young adults were also given the polyvalent conjugate [vaccine](#)—was both cost-effective and potentially cost-saving compared to the current public health strategy that uses the meningococcal serogroup A conjugate vaccine for routine immunization of children and polysaccharide vaccines during outbreaks.

These results suggest that new strategies which incorporate polyvalent conjugate vaccines can have substantial health benefits over current practice in Burkina Faso and elsewhere in Africa's "meningitis belt," which stretches across the center of the continent. The findings are published in the journal *PLOS Medicine*.

"Our findings suggest that instead of waiting for the next meningococcal [epidemic](#) to occur, start the immunization of impacted districts, it is more cost-effective, and potentially cost-saving, to immunize children and young adults through a nationwide catch-up vaccination campaign," said Yaesoubi, the study's lead author. "The population immunity against the meningococcal disease could then be maintained for years by immunizing babies before they turn 1 year old through the routine immunization program."

Since the late 1970s, control of meningitis epidemics has relied on the

use of polysaccharide vaccines to blunt the magnitude of these outbreaks after they have started. This reactive vaccination approach is limited as its effectiveness requires a very rapid scale of a vaccine campaign after recognition of an outbreak, and the polysaccharide vaccines used are not protective for infants under 2 years old and do not induce long-term protection.

More recently, conjugate vaccines which can be used in younger children and offer longer term immunity have been developed and been successfully used in routine vaccination programs to prevent the occurrence of meningococcal outbreaks. The introduction of a meningococcal serogroup A conjugate vaccine into routine immunization programs has been associated with a massive decline in serogroup A associated disease. However, other meningococcal serogroups still circulate widely in the region, and the continuing threat of sporadic epidemics require maintenance of capacity for reactive vaccination campaigns.

The development of newer polyvalent conjugate meningococcal vaccines effective against nearly all circulating serogroups offers the promise of more effective prevention of meningococcal epidemics in this region. This study offers insight on the best way to use these novel polyvalent conjugate vaccines to control meningococcal epidemics in Burkina Faso.

More information: Reza Yaesoubi et al. The cost-effectiveness of alternative vaccination strategies for polyvalent meningococcal vaccines in Burkina Faso: A transmission dynamic modeling study, *PLOS Medicine* (2018). [DOI: 10.1371/journal.pmed.1002495](https://doi.org/10.1371/journal.pmed.1002495)

Provided by Yale University

Citation: Meningitis vaccination strategy in Africa found to be effective, economical (2018, January 31) retrieved 17 July 2023 from <https://medicalxpress.com/news/2018-01-meningitis-vaccination-strategy-africa-effective.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.