

'Beetroot pill' could help save patients from kidney failure after heart X-ray

February 22 2018



Professor Amrita Ahluwalia (left), Dr. Dan Jones (right) and Professor Anthony Mathur (not pictured) leads project for Heart Research UK. Credit: Heart Research UK

Beetroot may reduce the risk of kidney failure in patients having a heart

x-ray, according to research led by Queen Mary University of London.

The new research project funded by national charity Heart Research UK will look into whether dietary inorganic nitrate found commonly in beetroot could be used in pill form to prevent one of the most common causes of [kidney failure](#) in hospital.

Coronary angiography is a type of x-ray test which is used to look at the coronary arteries in the [heart](#) and diagnose a number of heart conditions. It can also help in the planning of procedures to widen narrowed or blocked arteries in the heart.

During angiography, a special dye is injected into the blood so that the blood vessels can be seen. However the dye can cause [acute kidney injury](#), known as contrast induced nephropathy (CIN), which is thought to be in part because it reduces levels of nitric oxide in the kidneys.

Dietary nitrate, found in abundance in vegetables such as beetroot, can increase levels of nitric oxide in the body.

Professor Amrita Ahluwalia, Co-Director and Professor of Vascular Pharmacology at Queen Mary's William Harvey Research Institute, said: "CIN is a serious consequence of [coronary angiography](#), resulting in [patients](#) staying longer in hospitals and higher healthcare costs.



Credit: CC0 Public Domain

"If we find that giving dietary nitrate in capsule form could replace the lost [nitric oxide](#) in the kidneys and prevent CIN, the benefits to patients with heart disease would be substantial including reduced rates of [kidney](#) damage, less need for treatments such as dialysis and better long term survival."

Prof Ahluwalia with her colleagues Dr Dan Jones (Senior Lecturer in Clinical Trials) and Prof Anthony Mathur (Director of Intervention, Barts Heart Centre) will divide patients into two groups, one group taking nitrate capsules and the other group taking placebo capsules that do not contain nitrate.

Kidney function will then be measured and compared in both groups before the procedure, and two days and three months after to see if dietary [nitrate](#) makes a difference.

Barbara Harpham, Chief Executive of Heart Research UK, said: "Our Translational Research Project Grants aim to bridge a gap between laboratory-based scientific research and patient care, helping benefit patients as soon as possible.

"This exciting project has the potential to help reduce the risk of kidney damage and lead to better long-term survival for patients following coronary angiography."

Queen Mary's William Harvey Research Institute is just one recipient of Heart Research UK's Translational Research Project Grants. Awarded since 2009, the national charity based in Leeds has given almost £5m to fund these innovative and pioneering medical research projects across the UK.

Provided by Queen Mary, University of London

Citation: 'Beetroot pill' could help save patients from kidney failure after heart X-ray (2018, February 22) retrieved 25 January 2023 from <https://medicalxpress.com/news/2018-02-beetroot-pill-patients-kidney-failure.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.