

# Social determinants of health provide better understanding of brain vulnerability to delirium

October 25 2021

---



Credit: Pixabay/CC0 Public Domain

A Hebrew SeniorLife study published in the *Journal of the American Geriatrics Society* provides a framework to better understand risk factors for developing delirium, a common psychiatric syndrome that is costly and potentially life-threatening when present in older adults. Attributable

health care costs of delirium exceed \$164 billion per year across all older adults, and represent a significant public health priority.

The study proposed a novel social determinants of health (SDOH) framework for delirium because the economic, psychosocial, and [environmental factors](#) that influence the development of delirium are important and poorly understood. The researchers completed a careful review of existing literature, identifying environmental, historical, and social variables that influence cognitive trajectories, tailored to the needs of [older adults](#). The framework expanded upon existing literature to comprehensively capture the [social circumstances](#), environmental characteristics, and life course factors that may protect against or precipitate delirium in older adults. Ultimately, the authors hope that the model stimulates future research seeking to characterize the influence of SDOH on acute cognitive changes.

Franchesca Arias, Ph.D., Assistant Scientist, Aging Brain Center, Hinda and Arthur Marcus Institute for Aging Research, is the lead author of the study, "A Framework of Social Determinants of Health (SDOH) for Delirium Tailored to Older Adults." Sharon K. Inouye, M.D., M.P.H., Director, the Aging Brain Center, Marcus Institute, is senior author.

By 2060, it is expected that 23 percent of the U.S. population will be 65 years old or older, a demographic shift with largescale social and economic implications. Late adulthood is associated with increased cognitive vulnerabilities and medical needs. Older persons who reside in economically disadvantaged areas exhibit worse medical outcomes and earlier functional decline relative to those in more affluent areas. Ethnographically diverse older adults are disproportionately affected by dementia relative to their non-Hispanic White peers, controlling for age and comorbidity.

"Advancing our understanding of the factors that improve health

outcomes in older adults is a public health priority," Dr. Arias said.

"To lay the work in context, SDOH have been well-examined in their contributions to [chronic conditions](#), such as dementia; however, their contribution to delirium has not been previously well-examined," said Dr. Inouye.

**More information:** Franchesca Arias et al, A Framework of Social Determinants of Health (SDOH) for Delirium Tailored to Older Adults, *Journal of the American Geriatrics Society* (2021).  
[doi.org/10.1111/jgs.17465](https://doi.org/10.1111/jgs.17465)

Provided by Hebrew SeniorLife Hinda and Arthur Marcus Institute for Aging Research

Citation: Social determinants of health provide better understanding of brain vulnerability to delirium (2021, October 25) retrieved 4 July 2023 from  
<https://medicalxpress.com/news/2021-10-social-health-brain-vulnerability-delirium.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--