

Smoking may increase chances of mid-life memory loss, confusion

December 21 2022, by Misti Crane



Credit: CC0 Public Domain

Middle-aged smokers are far more likely to report having memory loss and confusion than nonsmokers, and the likelihood of cognitive decline is lower for those who have quit, even recently, a new study has found.

The research from The Ohio State University is the first to examine the relationship between smoking and [cognitive decline](#) using a one-question self-assessment asking people if they've experienced worsening or more frequent [memory loss](#) and/or confusion.

The findings build on previous research that established relationships between smoking and Alzheimer's Disease and other forms of dementia, and could point to an opportunity to identify signs of trouble earlier in life, said Jenna Rajczyk, lead author of the study, which appears in the *Journal of Alzheimer's Disease*.

It's also one more piece of evidence that quitting smoking is good not just for respiratory and cardiovascular reasons—but to preserve neurological health, said Rajczyk, a Ph.D. student in Ohio State's College of Public Health, and senior author Jeffrey Wing, assistant professor of epidemiology.

"The association we saw was most significant in the 45-59 age group, suggesting that quitting at that stage of life may have a benefit for cognitive health," Wing said. A similar difference wasn't found in the oldest group in the study, which could mean that quitting earlier affords people greater benefits, he said.

Data for the study came from the national 2019 Behavioral Risk Factor Surveillance System.

Survey and allowed the research team to compare [subjective cognitive decline](#) (SCD) measures for current smokers, recent former smokers, and those who had quit years earlier. The analysis included 136,018 people 45 and older, and about 11% reported SCD.

The prevalence of SCD among smokers in the study was almost 1.9 times that of nonsmokers. The prevalence among those who had quit less

than 10 years ago was 1.5 times that of nonsmokers. Those who quit more than a decade before the survey had an SCD prevalence just slightly above the nonsmoking group.

"These findings could imply that the time since smoking cessation does matter, and may be linked to cognitive outcomes," Rajczyk said.

The simplicity of SCD, a relatively new measure, could lend itself to wider applications, she said.

"This is a simple assessment that could be easily done routinely, and at younger ages than we typically start to see cognitive declines that rise to the level of a diagnosis of Alzheimer's Disease or dementia," Rajczyk said. "It's not an intensive battery of questions. It's more a personal reflection of your cognitive status to determine if you're feeling like you're not as sharp as you once were."

Many people don't have access to more in-depth screenings, or to specialists—making the potential applications for measuring SCD even greater, she said.

Wing said it's important to note that these self-reported experiences don't amount to a diagnosis, nor do they confirm independently that a person is experiencing decline out of the normal aging process. But, he said, they could be a low-cost, simple tool to consider employing more broadly.

More information: Jenna I. Rajczyk et al, Relation Between Smoking Status and Subjective Cognitive Decline in Middle Age and Older Adults: A Cross-Sectional Analysis of 2019 Behavioral Risk Factor Surveillance System Data, *Journal of Alzheimer's Disease* (2022). [DOI: 10.3233/JAD-220501](https://doi.org/10.3233/JAD-220501)

Provided by The Ohio State University

Citation: Smoking may increase chances of mid-life memory loss, confusion (2022, December 21) retrieved 19 November 2023 from <https://medicalxpress.com/news/2022-12-chances-mid-life-memory-loss.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.