

Research shows impact of 'hyper-palatable' foods across four diets

January 30 2023



Credit: Pixabay/CC0 Public Domain

If losing weight was among your 2023 resolutions, findings by researchers from the University of Kansas and the National Institutes of Health (NIH) may provide clearer guidance about the food you put on

your plate.

Using previous study data, researchers sought to determine what characteristics of meals were important for determining how many calories were eaten. They found that three meal characteristics consistently led to increased calorie intake across four different dietary patterns: meal [energy density](#) (i.e., calories per gram of food), the amount of "hyper-palatable" foods and how quickly the meals were eaten. Protein content of the meals also contributed to calorie intake, but its effect was more variable.

[First described](#) by KU scientist Tera Fazzino in 2019, hyper-palatable foods have specific combinations of fat, sugar sodium and carbohydrates—think of potato chips—that make them artificially rewarding to eat and harder to stop consuming.

"We wanted to know how hyper-palatable characteristics of foods, in combination with other factors, influenced how many calories a person consumed in a meal," said Fazzino, who is associate director of the Cofrin Logan Center for Addiction Research and Treatment at the KU Life Span Institute, and assistant professor in the KU Department of Psychology.

Fazzino, together with researchers from the NIH's National Institute of Diabetes and Digestive and Kidney Diseases, wrote in the journal *Nature Food* that hyper-palatability increased the amount of energy consumed across four diet patterns: low-carbohydrate, low-fat, a diet based on unprocessed foods and one based on ultra-processed foods.

Diet recommendations for weight management could be informed by understanding how some foods result in people eating fewer [calories](#) without making them hungry. People are often advised to avoid energy-dense foods, such as cookies or cheese, that can lead to passive

overeating. Instead, foods low in energy density—like spinach, carrots and apples—are often advised. But foods characterized as hyper-palatable may be less familiar to people, and they may be unknowingly adding them to their plate.

While hyper-palatable foods are sometimes also energy dense, the new study suggests that these hyper-palatable foods independently contribute to meal [calorie intake](#). Fazzino said the findings add to a growing body of research that shows that hyper-palatability plays a role in the [food](#) choices that people make and in their weight.

"We hope to get the information about hyper-palatable foods out there for individuals to consider as they make dietary choices, and we hope that scientists continue to examine hyper-palatable characteristics as a potential factor influencing energy intake," she said.

Fazzino co-authored the findings in *Nature Food* with researchers Kevin Hall, Amber Courville and Jen Guo of the National Institute of Diabetes and Digestive

More information: Kevin Hall, Ad libitum meal energy intake is positively influenced by energy density, eating rate and hyper-palatable food across four dietary patterns, *Nature Food* (2023). [DOI: 10.1038/s43016-022-00688-4](https://doi.org/10.1038/s43016-022-00688-4).
www.nature.com/articles/s43016-022-00688-4

Provided by University of Kansas

Citation: Research shows impact of 'hyper-palatable' foods across four diets (2023, January 30) retrieved 7 February 2023 from <https://medicalxpress.com/news/2023-01-impact-hyper-palatable-foods-diets.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.