


The power of healthy breast adipocytes in the fight against breast cancer

July 13 2023



Clinical patient samples from a healthy donor after reduction mammoplasty surgery (left), or suffering from invasive ductal carcinoma (right). Scale bar, 200 μ m. B, labeling of IGFBP2 (magenta) in adipocytes in younger (left) or older (right) patient groups after normal reduction mammoplasty. Cell nuclei are given in cyan and extracellular matrix, such as collagen, in green. Scale bar, 100 μ m. Credit: University of Turku



Researchers have found a possible explanation as to why higher breast density and older age increases the risk of breast cancer.

In an innovative study, researchers at the Turku Bioscience Centre, InFLAMES Flagship of the University of Turku, and Turku University Hospital, Finland, have made an extraordinary discovery that turns conventional wisdom on its head. Their findings reveal that healthy fat cells in the breast, also known as adipocytes, secrete a potent factor called IGFBP2, which acts as a barrier against invasive breast cancer progression.

"Adipocytes generally get a bad rap for promoting cancer progression, but this study demonstrates that healthy breast fat can play a protective role in the maintenance of tissue homeostasis and cancer containment," explained Dr. Emilia Peuhu, a key collaborator in the study. "It's time to re-evaluate our assumptions and recognize the important role of these unsung heroes."

Breast cancer patients who experience the transition from pre-malignant ductal carcinoma in situ (DCIS) to invasive ductal carcinoma (IDC) face a considerably poorer prognosis and an increased risk of developing metastatic disease. The research team's work focuses on identifying factors that impede this invasive progression, with IGFBP2 emerging as a key factor secreted by healthy adipocytes.

In addition to the loss of adipocytes that occurs as women age, this study found that <u>older women</u> had reduced expression of IGFBP2, suggesting that the anti-cancer activities of breast adipocytes might also decrease with age.

InFLAMES group leader, Professor Johanna Ivaska, the principle investigator on the project, expressed their astonishment at the findings, highlighting that, "increasing age and higher breast density, with fewer



adipocytes, are two well established <u>risk factors</u> for the development of breast <u>cancer</u>. Our research provides a possible explanation for this increased risk, as we found that IGFBP2 levels are also reduced in older individuals and that healthy breast adipocytes can secrete factors, such as IGFBP2, to inhibit tumor progression."

The implications of this discovery extend to the understanding of mammary density and its connection with poorer prognosis. Dr. James Conway, the lead researcher of the team, added, "While restoring IGFBP2 into the mammary environment might not be possible, the use of antibody-based inhibitors of IGF-II could help to contain non-invasive breast lesions by acting in a similar fashion to IGFBP2 itself, which we have already observed in our model systems."

The team is now exploring the therapeutic avenues that have opened up as a result of these recent findings.

The research findings have been published in the esteemed journal *Science Advances*.

More information: James R. W. Conway et al, IGFBP2 secretion by mammary adipocytes limits breast cancer invasion, *Science Advances* (2023). DOI: 10.1126/sciadv.adg1840

Provided by University of Turku

Citation: The power of healthy breast adipocytes in the fight against breast cancer (2023, July 13) retrieved 21 November 2023 from https://medicalxpress.com/news/2023-07-power-healthy-breast-adipocytes-cancer.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.