

Missed nursing care may contribute to racial disparities in rehospitalizations after AMI

April 21 2016

Why are black older adults at higher risk of repeat hospital admission after a heart attack? Treatment at hospitals with higher rates of missed nursing care may be a contributing factor, reports a study in the May issue of *Medical Care*.

"Our findings suggest that unmet nursing care varies widely across US hospitals and that older blacks disproportionately receive care in settings where care is missed more often," comments lead author J. Margo Brooks-Carthon, PhD, RN, of University of Pennsylvania School of Nursing's Center for Health Outcomes and Policy Research (CHOPR). "As the nation continues to intensify efforts to reduce health disparities, solutions may lie in ensuring adequate resources to nurses working in direct care."

The researchers analyzed data on more than 69,000 black and white patients with acute myocardial infarction (AMI) treated at 253 hospitals in three states during 2006-07. Each hospital was classified in terms of how often necessary nursing care tasks were left incomplete due to a lack of time. The study looked at differences in the characteristics of hospitals where black versus white patients were treated, including whether nursing care needs were unmet "rarely, sometimes, or frequently." This measure of unmet nursing care was also analyzed as a risk factor for repeat hospital admission within 30 days after AMI.

On average, black patients were younger, but had more health problems than white patients; they also had lower socioeconomic status. Consistent



with previous studies, the 30-day readmission rate was higher in black patients: 23.5 percent, compared to 18.8 percent in white patients.

"In general, older black patients were more often in hospitals where necessary care was omitted, and less often in the hospitals where care was rarely missed," said Brooks-Carthon. Unmet nursing care was associated with a higher risk of repeat admission for black patients, after adjustment for patient and hospital characteristics.

The strongest factor was not receiving medications in a timely manner. For <u>black patients</u> with this form of unmet nursing care, the odds of readmission were increased by 26 percent. Readmission was also more likely when nurses omitted comforting and talking with patients, a nine percent increase in risk; and when they didn't document care, a six percent increase.

Surprisingly, some other types of unmet nursing care—such as discharge planning and patient education—were not significantly related to readmission risk. Unmet nursing care did not influence the likelihood of readmission for older white patients.

Nurses play a critical role in caring for patients after AMI. However, nurses are increasingly unable to complete all necessary care tasks—especially as they spend more time on administrative tasks and less on direct patient care. The new study is the first to assess whether unmet <u>nursing care</u> contributes to racial/ethnic differences in AMI readmissions. The results may help to inform ongoing efforts to improve the outcome of older minority patients by improving care transitions from hospitals to outpatient settings.

"Our findings suggest that older Black AMI <u>patients</u> endure greater consequences when nursing tasks are left incomplete," added Brooks-Carthon. The researchers conclude, "Any efforts to reduce readmission



disparities must include investments to ensure that nurses who work on the front lines of care can attend to the complex social and healthcare needs of this population."

Provided by University of Pennsylvania School of Nursing

Citation: Missed nursing care may contribute to racial disparities in rehospitalizations after AMI (2016, April 21) retrieved 30 March 2023 from https://medicalxpress.com/news/2016-04-nursing-contribute-racial-disparities-rehospitalizations.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.