

Two sodas a day raises cancer risk, study finds

4 August 2016, by Allie Shah, Star Tribune (Minneapolis)



While the results do not prove that [sugary drinks](#) cause cancer, researchers stressed, there is evidence that the risk is higher for people who drink a lot of heavily sweetened beverages.

"These findings support the hypothesis that high consumption of sweetened beverages may increase the risk of [biliary tract cancers], particularly [gallbladder cancer](#)," the scientists from the Karolinska Institute in Sweden concluded.

©2016 Star Tribune (Minneapolis)
Distributed by Tribune Content Agency, LLC.

Here's one more reason to consider cutting back on the soda: drinking too many sugary drinks on a daily basis has been linked to gallbladder cancer.

Swedish researchers studied the eating and drinking habits of more than 70,000 adults, keeping an eye out for [cancer](#) diagnoses. They found that people who downed two or more sodas (including ones with artificial sweetener) or juice beverages a day doubled their risk of developing gallbladder tumors compared with people who abstained from sweetened drinks.

What's more, the heavy soda drinkers also had 79 percent higher risk of having [biliary tract cancer](#), according to the study, which was published recently in the *Journal of the National Cancer Institute*.

And those who had two or more sugary drinks a day tended to be overweight and ate a less-healthy diet - one with more calories, sugar and carbohydrates and less protein and fat, the researchers noted.

People with a history of diabetes or cancer were left out of the study.

APA citation: Two sodas a day raises cancer risk, study finds (2016, August 4) retrieved 28 October 2022 from <https://medicalxpress.com/news/2016-08-sodas-day-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.