

Endocrine society experts issue clinical practice guideline on pediatric obesity

January 31 2017

The Endocrine Society today issued a Clinical Practice Guideline advising healthcare providers on how to prevent and treat childhood obesity with lifestyle changes.

The guideline, titled "Pediatric Obesity—Assessment, Treatment, and Prevention: An Endocrine Society Clinical Practice Guideline," was published online and will appear in the March 2017 print issue of *The Journal of Clinical Endocrinology & Metabolism (JCEM)*, a publication of the Endocrine Society. In addition to prevention and treatment, the guideline provides recommendations on how to evaluate affected [children](#) for medical or psychological complications, when to evaluate children for rare genetic causes of [obesity](#) and when to consider medications or surgery for the most severely affected older adolescents.

Pediatric obesity is a pervasive international problem. Seventeen percent of American children and teenagers between the ages of 2 and 19 were affected by obesity in 2011-2014, according to the U.S. Centers for Disease Control and Prevention. Obesity in this age group was associated with an estimated \$14.1 billion in additional prescription drug, emergency room and outpatient medical visit costs each year, according to the Society's Endocrine Facts & Figures Report.

Children and teenagers are diagnosed as being overweight when an individual's body-mass index (BMI) is between the 85th and 95th percentile for their age and sex. Obesity occurs when a child or teen's BMI is greater than or equal to the 95th percentile for their age and sex.

A child or teen is diagnosed with [extreme obesity](#) when the BMI is greater than or equal to 120 percent of the 95th percentile.

"Intensive, family-centered lifestyle modifications to encourage healthy diet and activity remain the central approach to preventing and treating obesity in children and teenagers," said Dennis M. Styne, MD, of the University of California Davis Medical Center in Sacramento, CA. Styne chaired the task force that developed the guideline. "Since the Society last issued a pediatric obesity guideline in 2008, physicians have access to new information on genetic causes of obesity, psychological complications associated with obesity, surgical techniques and medications that are now available for the most severely affected older teenagers. The guideline offers information on incorporating these developments into patient care."

The guideline authors noted unmet needs for future research include understanding the causes of [pediatric obesity](#) and its complications, prevention and treatment. In addition, research is needed to examine how environmental and economic factors can drive worldwide cultural changes in diet and activity.

Recommendations from the guideline include:

- Children or teens with a BMI greater than or equal to the 85th percentile should be evaluated for related conditions such as metabolic syndrome and diabetes.
- Youth being evaluated for obesity do not need to have their fasting insulin values measured because it has no diagnostic value.
- Children or teens affected by obesity do not need routine laboratory evaluations for endocrine disorders that can cause obesity unless their height or growth rate is less than expected based on age and pubertal stage.

- About 7 percent of children with extreme obesity may have rare chromosomal abnormalities or genetic mutations. The guideline suggests specific genetic testing when there is early onset obesity (before 5 years old), an increased drive to consume food known as extreme hyperphagia, other clinical findings of genetic obesity syndromes, or a family history of extreme obesity.

More information: [DOI: 10.1210/jc.2016-2573](https://doi.org/10.1210/jc.2016-2573)

Provided by The Endocrine Society

Citation: Endocrine society experts issue clinical practice guideline on pediatric obesity (2017, January 31) retrieved 3 February 2023 from <https://medicalxpress.com/news/2017-01-endocrine-society-experts-issue-clinical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.