

Autism is not linked to eating fish in pregnancy

May 21 2018



Credit: CC0 Public Domain

A major study examining the fish-eating habits of pregnant women has found that they are not linked to autism or autistic traits in their children.

Scientists at the University of Bristol looked at the assumption that [mercury](#) exposure during pregnancy is a major cause of autism using evidence from nearly 4500 women who took part in the Children of the 90s study.

Using analysis of blood samples, reported fish consumption and information on autism and autistic traits from one of the largest longitudinal studies to date, researchers found no links between levels of mercury in the mothers and autism or autistic traits in their children. The only adverse effect of mercury found was poor social cognition if mothers ate no fish at all, especially for girls.

Lead author and founder of the Children of the 90s study Professor Jean Golding commented: "Our findings further endorse the safety of eating fish during pregnancy. Importantly we've found no evidence at all to support claims that mercury is involved in the development of autism or [autistic traits](#)."

"This adds to a body of work that endorses the eating of fish during pregnancy for a good nutritional start to life with at least two fish meals a week."

In October 2017 the University of Bristol presented a policy briefing document to government departments explaining that current advice for [pregnant women](#) is complex and confusing and may encourage women to limit or avoid eating fish altogether.

Wellcome Trust Research Fellow at the University of Bristol Dr. Caroline Taylor contributed to both the new research and policy document and added: "All species of fish contain traces of mercury, which can harm brain development, but we've found that the health benefits of fish, probably from nutrients such as vitamin D, omega-3 fatty acids, selenium and iodine, outweigh the risks from mercury."

"The advice on eating fish when pregnant is complicated and overwhelming. There is now a body of evidence to support a simpler and clearer approach that maximises the health benefits of fish. "I believe the next step is for a comprehensive study into how the current guidelines have affected the consumption of [fish](#) in pregnant women overall."

Director of the National Autistic Society's Centre for Autism, Carol Povey said: "At The National Autistic Society, we welcome all research which furthers our understanding of autism. This is a robust study which confirms what previous research has found: it is a myth that high mercury levels in pregnant mothers cause autism.

"There are around 700,000 autistic people in the UK and, although the exact causes of autism are still not fully understood, research to date has shown it involves many complex and interacting factors, including genetics, the environment and the development of the brain.

"While it is important to understand the causes of [autism](#), we believe more research should be focused on what helps autistic people and their families so that all autistic people can have a good quality of life and get the support and understanding they need."

More information: Jean Golding et al. Prenatal mercury exposure and features of autism: a prospective population study, *Molecular Autism* (2018). [DOI: 10.1186/s13229-018-0215-7](https://doi.org/10.1186/s13229-018-0215-7)

Provided by University of Bristol

Citation: Autism is not linked to eating fish in pregnancy (2018, May 21) retrieved 3 February 2023 from <https://medicalxpress.com/news/2018-05-autism-linked-fish-pregnacy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.