

Could sleep molecules lead to a blood test for Alzheimer's disease?

8 May 2019




Diagram of the brain of a person with Alzheimer's Disease. Credit: Wikipedia/public domain.

A new study published today in the journal *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, has found that a particular class of molecules may help with diagnosing Alzheimer's Disease.

The group of researchers from King's College London found that the level of the fatty [molecules](#) which induce sleep in blood were higher in those participants in the study with amyloid in the [brain](#), the peptide used to diagnose Alzheimer's Disease.

The amyloid peptide goes on to form plaques in the brain that are toxic to nerve cells. Plaque accumulation is thought to start many years before the appearance of symptoms such as memory loss. Drugs that have been developed so far to target amyloid have not been successful in restoring memory.

Researchers hope that this study could open the way for new treatments given the link with [fatty molecules](#).

To investigate whether any molecules in blood could be linked to amyloid in brain, researchers used a technique akin to throwing a big fishnet to catch as many molecules as possible in the blood.

They then generated a list of hundreds of molecules and found that fatty acid amides increased in line with amyloid in the brain. The team also found that these molecules were connected to brain shrinkage and [memory loss](#).

Lead author, Dr. Cristina Legido-Quigley from King's College London said: "This is the first study in which lipid molecules produced in the brain are found in the blood, as amyloid deposition increases in Alzheimer's Disease. These fatty amides are known to be neuroprotective and to induce sleep. There is also evidence that amyloid accumulates in the brain with lack of sleep, so these molecules may be playing a role in clearing up toxic amyloid in the brain.

"A much-needed pre-requisite for new treatments for Alzheimer's Disease is a reliable diagnostic test that could be used to identify people at risk. A [blood test](#) would be cheaper than measuring [amyloid](#) in the brain and easier to do than a spinal tap. There is more work to be done. So far, we have measured these molecules in nearly 600 participants, and hope to expand to the thousands to establish if a new diagnostic test in [blood](#) is indeed possible".

Provided by King's College London

APA citation: Could sleep molecules lead to a blood test for Alzheimer's disease? (2019, May 8) retrieved 2 May 2021 from <https://medicalxpress.com/news/2019-05-molecules-blood-alzheimer-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.