

Early pregnancy may be a prime time to promote heart health

23 July 2019



Benschop and her team measured the cardiovascular health of nearly 2,000 women at 13.2 weeks of pregnancy and again nine to 10 years later. The measurement used a score developed by the American Heart Association based on three health factors ([blood pressure](#), total cholesterol and [blood sugar](#)) and four health behaviors (body mass index, smoking status, diet and physical activity).

Better heart health in early pregnancy was associated with less thickening of the inner layers of arteries in the neck, an early sign of atherosclerosis, 10 years after pregnancy. It also was associated with better postpartum cardiovascular health.

The long-lasting benefits held true for all women in the study, but they were especially pronounced in those who experienced hypertensive disorders of pregnancy, such as gestational hypertension or preeclampsia.

The findings suggest [health care providers](#) should pay close attention to a woman's cardiovascular health during pregnancy and use this time as an opportunity to promote lifestyle changes such as diet, Benschop said.

It is [standard practice](#) to measure blood pressure, cholesterol, blood sugar, smoking and body mass in early pregnancy, Benschop said. But what's not standard is combining those metrics into a cardiovascular health score – and then using that to provide feedback to the expectant mother. She recommends OB-GYNs begin doing so.

The American College of Obstetricians and Gynecologists agrees.

In May, ACOG released new clinical guidelines on pregnancy and heart disease recommending all women be assessed for cardiovascular disease before and after pregnancy.

Improving cardiovascular health during the early stages of pregnancy can lead not only to a healthier pregnancy, it also can greatly improve a woman's long-term heart health, new research shows.

The findings, published Tuesday in the *Journal of the American Heart Association*, underscore the importance of entering pregnancy in optimal [health](#). They also suggest an opportunity for health care providers to guide women toward healthy lifestyle changes during their childbearing years.

"For most women, pregnancy is a natural moment to voluntarily seek medical care and improve [physical health](#)," wrote lead author Dr. Laura Benschop, a researcher in the Department of Obstetrics and Gynecology at Erasmus Medical Center in the Netherlands. "Improving [cardiovascular health](#) in [early pregnancy](#) will likely result in a longer lifetime spent in [better health](#), thereby reducing the risk of cardiovascular disease."

"We know that the leading cause of pregnancy-related mortality is cardiovascular disease and cardiomyopathy," said Dr. Lisa M. Hollier, a professor at Baylor College of Medicine in Houston who recently finished her term as president of ACOG. "It accounts for one in four of all maternal deaths."

Women are being evaluated for heart disease symptoms, said Hollier, but that assessment "has not been done in a systematic way."

"Women who believe they have cardiac disease or suspect they do should try to be evaluated by a physician ideally before pregnancy," she added. "It's also important for women who have complications in pregnancy, such as high blood pressure, to know that they are at increased risk for heart disease later in life. Those women need special follow-up after pregnancy as well."

ACOG recommends [women](#) limit alcohol consumption, don't smoke, remain physically active and eat a heart-healthy diet that includes plenty of fruits, vegetables, fish, poultry and fiber and is low in saturated fats.

Improving mom's heart health during pregnancy could also benefit the child's long-term health, Benschop said.

"Previous studies have shown that suboptimal cardiovascular health of the mother in [pregnancy](#) can increase the risk of placental disorders, and therefore suboptimal fetal growth," she said. "It has been associated with reduced birthweight and, during childhood, with a higher risk of obesity, Type 2 diabetes and early atherosclerosis."

American Heart Association News covers heart and brain health. Not all views expressed in this story reflect the official position of the American Heart Association. Copyright is owned or held by the American Heart Association, Inc., and all rights are reserved. If you have questions or comments about this story, please email editor@heart.org.

APA citation: Early pregnancy may be a prime time to promote heart health (2019, July 23) retrieved 3 May 2021 from <https://medicalxpress.com/news/2019-07-aha-news-early-pregnancy-prime.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.