

Children's race may play role in treatment for acute gastroenteritis in emergency departments

October 25 2019

Adjusted odds/coefficients of outcomes among children presenting to the ED with gastroenteritis					
	Ondansetron	IV Fluids	Length of Stay	Hospital Admission	ED Revisit
	aOR (95% CI)	aOR (95% CI)	aCoefficient (95% CI)	aOR (95% CI)	aOR (95% CI)
Race					
NH White	referent	referent	referent	referent	referent
NH Black	0.98 (0.91, 1.05)	0.60 (0.55, 0.67)	-20.30 (-24.87, -15.72)	0.61 (0.55, 0.67)	0.94 (0.79, 1.13)
Hispanic	1.06 (0.97, 1.17)	0.76 (0.67, 0.87)	-10.86 (-16.72, -4.99)	0.75 (0.66, 0.86)	1.03 (0.81, 1.31)
Other	1.26 (1.15, 1.38)	0.77 (0.67, 0.87)	-5.59 (-11.32, 0.15)	0.76 (0.67, 0.86)	0.99 (0.78, 1.26)

Adjusted odds/ coefficients among children presenting to the ED with gastroenteritis. Credit: Morgan Congdon, MD, MPH

New research being presented at the American Academy of Pediatrics 2019 National Conference & Exhibition suggests that the treatment children receive in U.S. emergency departments for acute gastroenteritis with dehydration, a common childhood illness, may differ based on their race.

The study abstract, "Impact of patient race/ethnicity on emergency department management of gastroenteritis," will be presented on Monday, Oct. 28, at the Ernest N. Morial Convention Center in New

Orleans.

Acute gastroenteritis is a sudden inflammation of the digestive tract, often caused by a virus, bacteria or other pathogen, with symptoms such as diarrhea, vomiting and fever that can quickly lead to dehydration. The condition accounts for more than 1.7 million outpatient visits and nearly 300 deaths each year among U.S. children.

"Children with acute gastroenteritis sometimes have trouble replacing the fluids and electrolytes their bodies are losing, which makes prompt treatment important," said abstract author Morgan Congdon, MD, MPH, a pediatric hospitalist at Children's Hospital of Philadelphia. "However, we found that race and ethnicity may play a role in the type of care and treatment children receive in emergency departments."

For the study, the research team performed a retrospective analysis of patients aged 6 months to 18 years seen between January 2011 and October 2018 in a large, urban pediatric emergency department for acute gastroenteritis with dehydration.

The researchers evaluated clinical outcomes such as whether the children were given an anti-nausea drug or intravenous fluids, as well as how long the children stayed in the emergency department and whether they were admitted to the hospital.

Of the 30,849 patients seen for [acute gastroenteritis](#) with dehydration, 57.2% were non-Hispanic black, 17.9% were non-Hispanic white, 12.5% were Hispanic, and 12.3% were other races. Adjusting for age, gender, language, insurance, and how sick a child was at presentation using triage acuity rating, researchers found that non-Hispanic black, Hispanic, and other race patients were significantly less likely to receive intravenous fluids and be admitted to the hospital than white patients. Non-Hispanic black and Hispanic patients also had shorter emergency department

length of stay. Other race patients were more likely to receive the anti-nausea drug ondansetron than non-Hispanic white patients, but no significant differences were observed for non-Hispanic black and Hispanic patients.

The researchers said there were no significant racial/[ethnic differences](#) in 72-hour revisits to the emergency department, however, which may suggest possible discretionary overtreatment in white patients as opposed to undertreatment in non-white patients.

"This study is important because it highlights a growing body of evidence that [children](#) do not always receive equal health care in the [emergency department](#) based on the child's [race](#) or ethnicity," Dr. Congdon said. She said further research is needed to understand the drivers of these racial and ethnic differences and develop ways to address them.

"I hope that this work will contribute to efforts to develop interventions that can support physicians and healthcare workers to create a more equitable system," Dr. Congdon said.

More information: Abstract Title: Impact of patient race/ethnicity on emergency department management of gastroenteritis

Provided by American Academy of Pediatrics

Citation: Children's race may play role in treatment for acute gastroenteritis in emergency departments (2019, October 25) retrieved 6 January 2023 from <https://medicalxpress.com/news/2019-10-children-role-treatment-acute-gastroenteritis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.