

New knowledge on how different brain cell types contribute to our movements

28 January 2020



Credit: CC0 Public Domain

Researchers at Karolinska Institutet have mapped how different nerve cells in the brain area striatum process information to plan and execute our movements at just the right time and with the right vigour. The results, presented in the journal *Cell Reports*, show that different cell types in the striatum receive signals from completely different parts of the cerebral cortex and thus respond to different types of information.

Many behaviours occur in response to <u>sensory</u> input from our environment. For example, when playing a new piece on the piano, we adjust our finger movements according to the sound we hear and the sensory feedback from the keys. Researchers at Karolinska Institutet in Sweden aimed to increase our understanding of how this works by studying the neuronal network that allows us to align our planned movements to sensory information such as touch. The nerve <u>cells</u> (neurons) that underlie this function are in the <u>striatum</u>, which is part of a larger structure in the brain called the basal ganglia.

While playing piano, sensory feedback from our fingertips is processed in the <u>somatosensory</u>

cortex, the brain area specialised for touch. Movements are planned in a separate part of the brain called motor cortex. Information from the somatosensory cortex, the motor cortex and other brain areas such as thalamus are sent to the striatum, which is the first instance where movement plans and sensory information are combined. Based on the broad information delivered by these inputs, the striatum is able to generate a precisely timed output signal that is sent back to the muscles and allows us to press the next keys correctly on the piano.

"Although it has long been known that the striatum is composed of different types of <u>nerve cells</u>, it is unclear how striatal cells achieve this complex function," says Yvonne Johansson, Ph.D. student at the Department of Neuroscience, Karolinska Institutet. "To address this question, we asked which striatal cell populations process which incoming information."

The researchers have used optogenetics, among other technologies, to analyse which of five important cell types in the striatum are responsible for the communication from the motor cortex, the somatosensory cortex and the thalamus.

Studies on mice revealed that striatal medium spiny neurons strongly respond to sensory inputs representing a sensation of touch. Another class of striatal neurons, the low-threshold spiking interneurons, hardly respond to inputs carrying sensory information but are strongly activated by inputs from motor cortex. In sharp contrast, cholinergic interneurons respond most strongly to thalamic inputs which are thought to notify us that something important is happening in our environment.

The researchers also found that the responses of the different neuron classes are mediated by different receptor compositions. As some receptors open faster than others, the receptors strongly



shape the timing of the response.

The findings shed new light on how the striatum is systematically processing the vast amount of information that it receives.

"Our work shows that the flow of information into the striatal network is highly organised and that the properties of the numerous inputs targeting different striatal neuron populations are pathwayspecific," says Gilad Silberberg, professor at the Department of Neuroscience, Karolinska Institutet.

More information: "The Functional Organization of Cortical and Thalamic Inputs onto Five Types of Striatal Neurons is Determined by Source and Target Cell Identities." Yvonne Johansson & Gilad Silberberg. *Cell Reports* (2020). <u>DOI:</u> <u>10.1016/j.celrep.2019.12.095</u>

Provided by Karolinska Institutet

APA citation: New knowledge on how different brain cell types contribute to our movements (2020, January 28) retrieved 4 May 2021 from <u>https://medicalxpress.com/news/2020-01-knowledge-brain-cell-contribute-movements.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.