

## Neuroscientists find memory cells that help us interpret new situations

6 April 2020, by Sarah McDonnell



Credit: CC0 Public Domain

Imagine you are meeting a friend for dinner at a new restaurant. You may try dishes you haven't had before, and your surroundings will be completely new to you. However, your brain knows that you have had similar experiences—perusing a menu, ordering appetizers, and splurging on dessert are all things that you have probably done when dining out.

MIT neuroscientists have now identified populations of cells that encode each of these distinctive segments of an overall experience. These chunks of memory, stored in the hippocampus, are activated whenever a similar type of experience takes place, and are distinct from the <u>neural code</u> that stores detailed memories of a specific location.

The researchers believe that this kind of "event code," which they discovered in a study of mice, may help the brain interpret novel situations and learn new information by using the same cells to represent similar experiences.

"When you encounter something new, there are some really new and notable stimuli, but you already know quite a bit about that particular experience, because it's a similar kind of experience to what you have already had before," says Susumu Tonegawa, a professor of biology and neuroscience at the RIKEN-MIT Laboratory of Neural Circuit Genetics at MIT's Picower Institute for Learning and Memory.

Tonegawa is the senior author of the study, which appears today in *Nature Neuroscience*. Chen Sun, an MIT graduate student, is the lead author of the paper. New York University graduate student Wannan Yang and Picower Institute technical associate Jared Martin are also authors of the paper.

## **Encoding abstraction**

It is well-established that certain cells in the brain's hippocampus are specialized to store memories of specific locations. Research in mice has shown that within the hippocampus, neurons called place cells fire when the animals are in a specific location, or even if they are dreaming about that location.

In the new study, the MIT team wanted to investigate whether the hippocampus also stores representations of more abstract elements of a memory. That is, instead of firing whenever you enter a particular restaurant, such cells might encode "dessert," no matter where you're eating it.

To test this hypothesis, the researchers measured activity in neurons of the CA1 region of the mouse hippocampus as the mice repeatedly ran a four-lap maze. At the end of every fourth lap, the mice were given a reward. As expected, the researchers found place cells that lit up when the mice reached certain points along the track. However, the researchers also found sets of cells that were active during one of the four laps, but not the others. About 30 percent of the neurons in CA1 appeared to be involved in creating this "event code."



for space, cells in the hippocampus also care about it into chunks, and remember the abstract order of this discrete chunk of experience called lap 1, or this discrete chunk of experience called lap 2, or lap 3, or lap 4," Sun says.

To further explore this idea, the researchers trained Tonegawa and Sun believe that networks of cells mice to run a square maze on day 1 and then a circular maze on day 2, in which they also received useful for a type of learning called transfer learning, a reward after every fourth lap. They found that the which allows you to apply knowledge you already place cells changed their activity, reflecting the new have to help you interpret new experiences or learn environment. However, the same sets of lapspecific cells were activated during each of the four trying to find cell populations that might encode laps, regardless of the shape of the track. The lapencoding cells' activity also remained consistent when laps were randomly shortened or lengthened.

"Even in the new spatial locations, cells still maintain their coding for the lap number, suggesting that cells that were coding for a square lap 1 have now been transferred to code for a circular lap 1," Sun says.

The researchers also showed that if they used optogenetics to inhibit sensory input from a part of the brain called the medial entorhinal cortex (MEC), lap-encoding did not occur. They are now investigating what kind of input the MEC region provides to help the hippocampus create memories consisting of chunks of an experience.

## Two distinct codes

These findings suggest that, indeed, every time you eat dinner, similar memory cells are activated, no matter where or what you're eating. The researchers theorize that the hippocampus contains "two mutually and independently manipulatable codes," Sun says. One encodes continuous changes in location, time, and sensory input, while the other organizes an overall experience into smaller chunks that fit into known categories such as appetizer and dessert.

"We believe that both types of hippocampal codes are useful, and both are important," Tonegawa says. "If we want to remember all the details of what happened in a specific experience, moment-tomoment changes that occurred, then the continuous monitoring is effective. But on the other

"This gave us the initial inkling that besides a code hand, when we have a longer experience, if you put the abstract chunks, that's more effective than monitoring this long process of continuous changes."

> that encode chunks of experiences may also be new things. Tonegawa's lab is now working on these specific pieces of knowledge.

More information: Hippocampal neurons represent events as transferable units of experience, Nature Neuroscience (2020). DOI: 10.1038/s41593-020-0614-x, nature.com/articles/s41593-020-0614-x

Provided by Massachusetts Institute of Technology



APA citation: Neuroscientists find memory cells that help us interpret new situations (2020, April 6) retrieved 3 June 2022 from <u>https://medicalxpress.com/news/2020-04-neuroscientists-memory-cells-situations.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.