

How 'smell training' could help overcome post-viral smell distortions

November 30 2020



Credit: Unsplash/CC0 Public Domain

If you've been experiencing odor distortions after COVID-19, then 'smell training' could help you start smelling normally again—according to new research involving the University of East Anglia.



Parosmia is a symptom where people experience strange and often unpleasant <u>smell</u> distortions. Instead of smelling a lemon you may smell rotting cabbage, or chocolate may smell like petrol. The symptom has been linked to smell disturbance in COVID-19, as well as due to other viruses and head injuries.

A new paper published today shows that the presence of parosmia is associated with clinically relevant recovery in smell performance (identifying and distinguishing smells) in patients with <u>smell loss</u> caused by <u>viral infections</u> who are undertaking smell training.

The research was led by the Technical University of Dresden (Germany) in collaboration with the University of East Anglia (UK), the Norfolk Smell and Taste Clinic at the James Paget University Hospital (UK), the Medical University of Vienna (Austria), University Hospitals of Cologne (Germany), and the University of Wroclaw (Poland).

Prof Carl Philpott from UEA's Norwich Medical School, said: "Some degree of smell loss is thought to affect up to one quarter of the general population.

"Smell loss is also a prominent symptom of COVID-19, and we know that the pandemic is leaving many people with long-term smell loss, or smell distortions such as parosmia—this may now be as many as 90,000 people in the UK.

"For people with parosmia, the smell of certain things—or sometimes everything—is different, and often unpleasant. So for example, someone with parosmia could sniff at a cinnamon stick, but to them it would smell like something horrible—perhaps rotten food, or worse.

"Smell training involves sniffing at least four different odors twice a day every day for several months. It has emerged as a simple and side-effect



free treatment option for various causes of smell loss.

"It aims to help recovery based on neuroplasticity—the brain's ability to reorganize itself to compensate for a change or injury.

"We wanted to find out more about how it relates to the likelihood of recovery in patients with smell loss due to viruses."

The research team worked with 143 participants who had experienced a loss or change in their sense of smell due to post viral infection.

The participants received a variety of smell training kits—consisting of different odors, including eucalyptus, lemon, rose, cinnamon, chocolate, coffee, lavender, honey, strawberry and thyme.

The participants were tested for how well they could smell different odors at the start of the trial, and after six months of smell training.

Prof Philpott said: "We found that the presence of parosmia and worse smell performance on testing of odor identification and discrimination was associated with clinically significant recovery in smell function for people experiencing post-viral smell disorders.

"This means that smell training can help the smell pathways to start to regenerate and recover.

"We also found that older people in particular were more likely to start to recover their sense of smell. And that the biggest improvements happened in those that had lost the most amount of smell function in the first place."

The research was carried out prior to COVID-19, however the researchers say their findings could be helpful to people who have lost



their sense of smell as a result of the pandemic.

More information: David T. Liu et al. Parosmia is Associated with Relevant Olfactory Recovery After Olfactory Training, *The Laryngoscope* (2020). DOI: 10.1002/lary.29277

Provided by University of East Anglia

Citation: How 'smell training' could help overcome post-viral smell distortions (2020, November 30) retrieved 19 December 2022 from <u>https://medicalxpress.com/news/2020-11-post-viral-distortions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.