


Why it matters that the coronavirus is changing – and what this means for vaccine effectiveness

23 December 2020, by David Kennedy



Credit: Unsplash/CC0 Public Domain

[A new variant of SARS-CoV-2](#) is spreading rapidly in the United Kingdom, with over [1,400 cases](#) since September. SARS-CoV-2, the virus that causes COVID-19, generally [accumulates mutations slowly over time](#), but this new variant had [accumulated many mutations quickly](#).

If this new [version](#) of the virus is here to stay, as it appears to be, what does that mean? Will this new version of the virus replace the old one? Will it be easier to catch? And, most important, will the current vaccines still be effective?

This interests me because I am an [evolutionary microbiologist](#) who studies the link between the [transmission and evolution of infectious diseases](#). In particular, I spend a lot of time considering the effects of [vaccines on pathogen evolution](#) and the effects of [pathogen evolution on the impact of vaccines](#).

What is the new SARS-CoV-2 mutant that has emerged?

The new version of SARS-CoV-2—named the B.1.1.7 lineage—is spreading in the U.K. and possibly beyond. The differences between the old and new virus include [23 mutations in the virus's genetic code that have altered four viral proteins](#).

[Eight of these 23 mutations affect the spike protein](#). This matters because the spike protein enables the virus to enter human cells, and it is a key target of our immune response, both in fighting off [the virus during infection](#) and in [protecting us from disease following vaccination](#) with the Pfizer and Moderna vaccines.

If the changes to the spike protein help the virus enter human cells more easily, then the virus could be transmitted from person to person more readily.

These mutations may also alter how well the host's immune system combats the virus, potentially reducing the efficacy of the current vaccines.

What is different about this new version of SARS-CoV-2?

Samples of the new virus isolated from patients suggest that this variant has been [increasing in relative frequency](#) over the past three months.

The increase in frequency is concerning, as it suggests – [but does not prove](#) – that the B.1.1.7 isolates of SARS-CoV-2 are more transmissible than the original virus. Some have estimated that the new virus may be up to [70% more transmissible than the old virus](#). While these estimates are [consistent with the data](#), it is entirely too early to make a definitive conclusion.

If this increase in transmissibility is confirmed, it might be due to of the [mutations in the spike protein](#) allows it to bind more tightly to the ACE2

receptor, which provides a gateway for the virus to enter [human cells](#).

But it might also be due to any of the other changes to the virus.

Is it more dangerous? If so, why?

If the new version, B.1.1.7, is indeed more transmissible than the old virus, it will be more dangerous in the sense that it will make more people sick.

However, I am not aware of [good evidence that there is any difference in severity](#) of disease caused by the new version of this virus compared with the older one. That said, with so [few known cases](#), it may still be too early to say.

Will the Pfizer and Moderna vaccines still be effective against this new strain?

Both the Pfizer and Moderna vaccines work by training our immune systems to recognize a [specific version of the viral spike protein](#). The version of the spike protein used by the vaccines was designed to match that of the old virus, not that of the B.1.1.7 virus. This means that the vaccines might become less effective than expected should this [new virus](#) spread widely.

Vaccine-virus mismatch is an ongoing challenge for scientists charged with developing the seasonal flu vaccine. But [even with a virus-vaccine mismatch](#), the flu vaccine reduces the likelihood, and the severity, of disease.

The question is therefore not whether the vaccines will be effective, but rather how effective they will be. The severity of the mismatch matters, but the only way to determine [its impact in this case is through scientific study](#), and to my knowledge, no data on that has yet been collected. In other words, it's too early to say whether and how this new variant will influence the overall effectiveness of the Pfizer and Moderna vaccines.

Should people still get the new mRNA vaccine?

The appearance of this new B.1.1.7 makes it even

more important that people get vaccinated as soon as possible.

If this new version is more transmissible, or if the vaccine is less effective because of a [virus-vaccine mismatch](#), [more people will need to be vaccinated](#) to achieve herd immunity and get this disease under control.

Moreover, we now have proof that the spike [protein](#) of SARS-CoV-2 can change drastically in a short time, and so it is critical that we [get the virus under control to prevent it from evolving](#) further and completely undermining vaccination efforts.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

APA citation: Why it matters that the coronavirus is changing – and what this means for vaccine effectiveness (2020, December 23) retrieved 6 June 2022 from <https://medicalxpress.com/news/2020-12-coronavirus-vaccine-effectiveness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.