

From 'super-recognisers' to the 'face blind': How tests reveal underlying cognitive processes

February 10 2022, by Karen Lander



Credit: AI-generated image (disclaimer)

The ability to recognize faces is important in many different real life contexts and fundamental to our social relationships and interactions. It allows us to identify people we care about, and respond appropriately to them. We may greet a friend differently to our boss, for example. But



some people are simply better than others at recognizing faces.

At one end of the spectrum, there are people called "super-recognisers." They find face recognition easy—often successfully identifying people even if they have only seen them once, briefly or a long time ago. Conversely, people with "developmental prosopagnosia" are at the opposite end of the face recognition scale. They find it tricky to recognize faces and can therefore struggle to socially interact with those around them.

People with this type of "face blindness" may not realize they have it until they reach their teenage years or later. For most of us though, our <u>face recognition ability</u> falls between these extremes—we aren't supergood, but we aren't particularly bad either.

It may seem that face recognition is a single, isolated skill. But psychologists know that the ability depends on a number of different cognitive processes that interact in complex ways.

Measuring face recognition

If we are to <u>test</u> face recognition accurately, it is important that we know what it is. And it turns out that <u>different tests</u> may produce different results.

One <u>task</u> used to measure how good we are at determining identity in unfamiliar faces is called "face matching," captured, for example, by the <u>Glasgow Face Matching Test</u>. Here you are presented with two faces and asked whether they belong to the same person or different people. Performance across 40 pairs, ranges from being just over chance (guessing) to 100% correct.

Being good at face matching is particularly important for some jobs.



Indeed, passport control officers verify identity by matching the identity of a live person to a photo in a passport.



Credit: SHVETS production from Pexels

But being good at face matching doesn't necessarily make you a super-recogniser. Indeed some matching tasks may not be difficult enough to allow super recognisers to show off their skills. The Cambridge Face Memory Test is an example of a "face learning task." It measures your ability to learn and identify previously unknown faces. Specifically, you memorize the faces of different people and then try to pick them out of a line-up of three faces. The test starts very easy and gets progressively



more difficult. Doing well on this task depends on your ability to see the visual differences between faces and to memorize them.

Finally, we can test familiar face recognition. When recognizing familiar faces, we are tapping into our stored long-term memories of known people. We may know them as a family member or friend, or it may be someone from our favorite TV show. Most <u>familiar face recognition</u> tasks ask people to try to recognize famous faces either from current footage or use a test based on celebrity faces from before they were famous.

Performance across tasks

Interestingly, performance across different face tasks may be associated. So, if you are good at one face recognition task then you may also be good at other face tasks too. Some researchers have proposed a general face factor that accounts for some correspondence in performance across tasks.

But this is not necessarily the case. You can be good at one task but impaired at another. And this is where the complexity lies. For example, if you have problems with working memory then you may struggle with face learning and familiar face recognition, but not necessarily with face matching. Similarly, being impaired at long term memory may make it particularly difficult to access memories of familiar people. Finally, problems with attention may affect your everyday face recognition but have less impact in the lab when you are fully focused on the task in hand.

Given the different measures of face recognition, we need to clearly define how we determine when someone is impaired (or a superrecogniser). Certainly, there is no single accepted test to measure face recognition ability. Instead, psychologists think that its best to measure



face recognition using multiple tasks, exploring the different aspects of face recognition. On each task, performance from an individual is compared to that achieved by a large population of the general public.

We must also listen to a person's report of their face recognition ability in their everyday lives. Some people may score normally on, for example, the Cambridge Face Memory Test in the lab, but struggle to recognize their friends and family in the street. Conversely, while poor performance across a number of face recognition tests is a good indicator for prosopagnosia, it is not necessarily a clear diagnosis of it.

More valid measures of face <u>recognition</u> that reflect real life still need to be developed. In real life, <u>face recognition</u> is much more complicated. Most of the existing face tasks use still images of faces, whereas in the real world <u>faces</u> move in complex and subtle ways. The full picture will rely on tests that can distinguish more carefully between different types of face impairment.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: From 'super-recognisers' to the 'face blind': How tests reveal underlying cognitive processes (2022, February 10) retrieved 5 January 2024 from https://medicalxpress.com/news/2022-02-super-recognisers-reveal-underlying-cognitive.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.