

AI detects autism speech patterns across different languages

June 15 2022, by Max Witynski



The researchers believe their work could provide a tool that might one day transcend cultures, because of the computer's ability to analyze words and sounds in a quantitative way regardless of language. Credit: Emily Wade on Unsplash

A new study led by Northwestern University researchers used machine

learning—a branch of artificial intelligence—to identify speech patterns in children with autism that were consistent between English and Cantonese, suggesting that features of speech might be a useful tool for diagnosing the condition.

Undertaken with collaborators in Hong Kong, the study yielded insights that could help scientists distinguish between genetic and [environmental factors](#) shaping the communication abilities of people with [autism](#), potentially helping them learn more about the origin of the condition and develop new therapies.

Children with autism often talk more slowly than typically developing children, and exhibit other differences in pitch, intonation and rhythm. But those differences (called "prosodic differences" by researchers) have been surprisingly difficult to characterize in a consistent, objective way, and their origins have remained unclear for decades.

However, a team of researchers led by Northwestern scientists Molly Losh and Joseph C.Y. Lau, along with Hong Kong-based collaborator Patrick Wong and his team, successfully used supervised [machine learning](#) to identify speech differences associated with autism.

The data used to train the algorithm were recordings of English- and Cantonese-speaking [young people](#) with and without autism telling their own version of the story depicted in a wordless children's picture book called "Frog, Where Are You?" The results were published in the journal *PLOS One* on June 8, 2022.

"When you have languages that are so structurally different, any similarities in speech patterns seen in autism across both languages are likely to be traits that are strongly influenced by the genetic liability to autism," said Losh, who is the Jo Ann G. and Peter F. Dolle Professor of Learning Disabilities at Northwestern. "But just as interesting is the

variability we observed, which may point to features of speech that are more malleable, and potentially good targets for intervention."

Lau added that the use of machine learning to identify the key elements of speech that were predictive of autism represented a significant step forward for researchers, who have been limited by English language bias in autism research and humans' subjectivity when it came to classifying speech differences between people with autism and those without.

"Using this method, we were able to identify features of speech that can predict the diagnosis of autism," said Lau, a postdoctoral researcher working with Losh in the Roxelyn and Richard Pepper Department of Communication Sciences and Disorders at Northwestern. "The most prominent of those features is rhythm. We're hopeful that this study can be the foundation for future work on autism that leverages machine learning."

The researchers believe that their work has the potential to contribute to improved understanding of autism. Artificial intelligence has the potential to make diagnosing autism easier by helping to reduce the burden on healthcare professionals, making autism diagnosis accessible to more people, Lau said. It could also provide a tool that might one day transcend cultures, because of the computer's ability to analyze words and sounds in a quantitative way regardless of language.

Because the features of speech identified via machine learning include both those common to English and Cantonese and those specific to one language, Losh said, machine learning could be useful for developing tools that not only identify aspects of speech suitable for therapy interventions, but also measure the effect of those interventions by evaluating a speaker's progress over time.

Finally, the results of the study could inform efforts to identify and

understand the role of specific genes and brain processing mechanisms implicated in genetic susceptibility to autism, the authors said.

Ultimately, their goal is to create a more comprehensive picture of the factors that shape people with autism's [speech](#) differences.

"One [brain network](#) that is involved is the auditory pathway at the subcortical level, which is really robustly tied to differences in how [speech sounds](#) are processed in the brain by individuals with autism relative to those who are typically developing across cultures," Lau said. "A next step will be to identify whether those processing differences in the brain lead to the behavioral [speech patterns](#) that we observe here, and their underlying neural genetics. We're excited about what's ahead."

More information: Joseph C. Y. Lau et al, Cross-linguistic patterns of speech prosodic differences in autism: A machine learning study, *PLOS ONE* (2022). [DOI: 10.1371/journal.pone.0269637](https://doi.org/10.1371/journal.pone.0269637)

Provided by Northwestern University

Citation: AI detects autism speech patterns across different languages (2022, June 15) retrieved 30 March 2023 from

<https://medicalxpress.com/news/2022-06-ai-autism-speech-patterns-languages.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--