

Cardiac arrest survival rate rising in Sweden

August 26 2022



Credit: Unsplash/CC0 Public Domain

Sudden cardiac arrest affects some 10,000 people in Sweden annually. Saving them is a race against the clock, and the actions of bystanders who can perform cardiopulmonary resuscitation (CPR) and use a defibrillator are entirely crucial. Three in four events occur as people go about their everyday lives, while only one in four takes place in hospital.

The outcome of [sudden cardiac arrest](#) is usually fatal, regardless of where it happens. The condition is also the most common cause of death for people with diabetes, heart failure, or [coronary artery disease](#), making it a widespread form of ill-health.

The current study, published in *European Heart Journal*, includes data from the Swedish Cardiopulmonary Resuscitation Registry on 106,296 cases of out-of-hospital [cardiac arrest](#) (OHCA) in the years 1990–2020. The study also includes data on 30,032 in-hospital cardiac arrest (IHCA) cases in the period 2004–2020.

Three decades of development

Araz Rawshani, a researcher at Sahlgrenska Academy at the University of Gothenburg and a specialist doctor at Sahlgrenska University Hospital, is the corresponding author of the study.

"This is a comprehensive study that describes care and survival following sudden cardiac arrest. It's a detailed report that clarifies three decades' resuscitation in Sweden as a whole, and it shows that the situation has been changing rapidly for patients and the care providers alike," he notes.

The findings show that for OHCA, survival more than doubled in 1990–2020 to approximately 11%. This whole improvement occurred in the late 1990s and early 2000s, and that no further rise in survival has taken place over the past decade.

For IHCA, survival rose by a factor of 1.2 in the period from 2004 to 2020, reaching about 35%. This improvement occurred largely from 2010 on and, according to the researchers, was due to better skills and resources in healthcare.

"In out-of-hospital cardiac arrest," Rawshani says, "the rise in the number of people trained to perform CPR is probably the driver of that positive trend. Millions of Swedes have been trained in this vital skill, which can come in useful at any time, and these people intervene ever more often. Today, nonprofessionals (bystanders) start the CPR in the majority of all cases of cardiac arrest outside a hospital."

Ambulance delays, more difficult cases

"The upward trend of out-of-hospital survival came to an end for several reasons," Rawshani continues. "First, the ambulances aren't managing to arrive in time for the patients; the delays in getting to them have constantly increased. Second, the proportion of patients who are relatively easy to resuscitate—that is, those whose heart stops because of acute or chronic coronary artery disease—has fallen dramatically in the past few decades."

The fact that hard-to-treat cases—with cardiac arrests caused by [lung disease](#) or [heart failure](#), for example—are a growing category means that successful resuscitation will become harder to achieve in the future. What is more, women are overrepresented in this category, which explains the survival gap between the sexes. In 2020 almost 14% of the men, against some 8% of the women, survived OHCA.

The study indicates that health care, from the emergency measures taken by paramedics to post-resuscitation nursing, is set to face new and daunting challenges in the years ahead, with a patient population who will get increasingly difficult to resuscitate. "Further improvements in survival call for new ways of training considerably more people in [cardiopulmonary resuscitation](#); maintenance of expertise; and the requisite technical advances to deliver defibrillators earlier," Rawshani concludes.

More information: Matilda Jerkeman et al, Trends in survival after cardiac arrest: a Swedish nationwide study over 30 years, *European Heart Journal* (2022). [DOI: 10.1093/eurheartj/ehac414](https://doi.org/10.1093/eurheartj/ehac414)

Provided by Swedish Research Council

Citation: Cardiac arrest survival rate rising in Sweden (2022, August 26) retrieved 4 July 2023 from <https://medicalxpress.com/news/2022-08-cardiac-survival-sweden.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.