

Having more babies lowers the risk of endometrial cancer, study finds

November 7 2022



Credit: Unsplash/CC0 Public Domain

University of Queensland research has revealed that having more babies reduces a woman's risk of endometrial cancer.

Dr. Gunn-Helen Moen and Shannon D'Urso from UQ's Institute for Molecular Bioscience investigated risk factors for [endometrial cancer](#) using genetic analysis, and have found that having three babies compared to none could decrease a woman's risk by 50%

"We found that the more time a woman spent pregnant or on the [contraceptive pill](#)—when the body is exposed to less estrogen—was associated with a lower risk of endometrial cancer," Dr. Moen said.

"While previous studies have shown multiple pregnancies and using the [oral contraceptive pill](#) can reduce the risk of endometrial cancer, this is the first study that used genetics to study multiple risk factors at once."

Endometrial cancer occurs in the lining of the uterus and is the fifth most diagnosed cancer in Australian women, affecting one in 52.


In their [genetic analysis](#), the UQ researchers examined how many years women ovulated, calculated by subtracting time spent pregnant or taking the contraceptive pill from the years spent menstruating.

"It is thought that high levels of estrogen, unopposed by progesterone, is a risk factor for developing endometrial cancer."

"Pregnancy and the contraceptive pill both provide progesterone to oppose estrogen, and this could be why we see a protective effect against this cancer."

"To put it simply, the shorter the exposure to estrogen over your lifetime, the smaller your risk of developing endometrial cancer."

Researchers found evidence that suggested reducing years ovulating could reduce the risk of endometrial cancer, but the strongest links pointed to child [birth](#).



Results from the univariate observational analysis of various risk factors and EC in the UK Biobank. The variables investigated span those related to ovulatory function (age at menarche, age at menopause, and years ovulating), reproductive function (number of live births and age at last live birth), and BMI. Logistic beta and standard errors have been converted to OR and 95% CI. BMI, body mass index; CI, confidence interval; OR, odds ratio. Credit: *BMC Medicine* (2022). DOI: 10.1186/s12916-022-02585-w

Dr. Moen said there could be several explanations for why pregnancy reduces the risk of endometrial cancer.

"It could be the increase in protective progesterone in the latter stages of pregnancy, or it could be because the body potentially removes pre-cancerous endometrial cells from the uterus during birth," Dr. Moen said.

During the study, the researchers separated some known risk factors for endometrial cancer, such as increased [body mass index](#) (BMI) and age at first menstruation and menopause and looked specifically at the effect of the number of live births and years ovulating.

"In obesity, high levels of estrogen are produced in fat tissue, which

makes it a risk factor for endometrial cancer," Dr. Moen said.

Endometrial cancer cases are increasing worldwide, and Dr. Moen said this may be due to rising BMI levels, which account for about 40% of endometrial cancer cases in developed countries.

"But we wanted to find out more about the impacts of live births directly, irrespective of other known risk factors."

"We used data to study hundreds of genetic variants, six of which were associated with the number of live births."

"This study is the first time we've been able to establish a cause and effect relationship between the number of births and a [reduced risk](#) of developing endometrial cancer," Dr. Moen said.

However, the researchers could not be sure if the same was true for years ovulating and oral contraceptive pill use.

"Analyzing larger datasets could help us understand more clearly whether it is the hormonal or mechanical effects of pregnancy that give a more protective effect, as well as dig further into the effect of oral contraceptive pill use."

The research was published in *BMC Medicine*.

More information: Shannon D'Urso et al, Mendelian randomization analysis of factors related to ovulation and reproductive function and endometrial cancer risk, *BMC Medicine* (2022). [DOI: 10.1186/s12916-022-02585-w](https://doi.org/10.1186/s12916-022-02585-w)

Provided by Institute for Molecular Bioscience

Citation: Having more babies lowers the risk of endometrial cancer, study finds (2022, November 7) retrieved 1 March 2023 from <https://medicalxpress.com/news/2022-11-babies-lowers-endometrial-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.