


# Novel research demonstrates new method of spinal cord tissue repair

November 29 2022



a Synthesis schematic of gel:HA:PEDOT-NPs scaffolds. Incorporation of PEDOT NPs into Gel:HA hydrogel and processing by means of lyophilisation develops porous scaffolds, (image created with BioRender.com). b SEM images of synthesized PEDOT NPs. c DLS measurement of PEDOT NPs in the hydrodynamic state. Credit: *Biomaterials Research* (2022). DOI:

10.1186/s40824-022-00310-5

Unique new material developed at University of Limerick (UL) in Ireland has shown significant promise in the treatment of spinal cord injury.

Brand new research conducted at UL's Bernal Institute—published in the journal *Biomaterials Research*—has made exciting progress in the field of spinal cord tissue repair.

New hybrid biomaterials developed at UL in the form of [nanoparticles](#) and building on existing practice in the tissue engineering field were successfully synthesized to promote repair and regeneration following spinal cord injury, according to the researchers.

The UL team led by Professor Maurice N Collins, Associate Professor, School of Engineering at UL, and lead author Aleksandra Serafin, a Ph.D. candidate at UL, used a new kind of scaffolding material and a unique new electrically conducting [polymer composite](#) to promote new tissue growth and generation that could advance the treatment of spinal cord injury.

"Spinal cord injury remains one of the most debilitating traumatic injuries a person can sustain during their lifetime, affecting every aspect of the person's life," explained Professor Collins.

"The debilitating disorder results in paralysis below the level of injury, and in the U.S. alone, the annual health care costs for SCI [patient care](#) are \$9.7 billion. As there is currently no widely available treatment, continuous research into this field is crucial to find a treatment to improve the patient's quality of life, with the research field turning

towards tissue engineering for novel treatment strategies.

"The field of tissue engineering aims to solve the global problem of shortages of donated organs and tissues, in which a new trend has emerged in the form of conductive biomaterials. Cells in the body are affected by electrical stimulation, especially cells of a conductive nature such as cardiac or nerve cells," Professor Collins explained.

The research team describes a growing interest in the use of electroconductive tissue engineered scaffolds that has emerged due to the improved cell growth and proliferation when cells are exposed to a conductive scaffold.

"Raising the conductivity of biomaterials to develop such treatment strategies typically centers on the addition of conductive components such as carbon nanotubes or [conductive polymers](#) such as PEDOT:PSS, which is a commercially available conductive polymer that has been used to date in the [tissue engineering](#) field," explained lead author Aleksandra Serafin.

"Unfortunately, severe limitations persist when using the PEDOT:PSS polymer in biomedical applications. The polymer relies on the PSS component to allow it to be water soluble, but when this material is implanted in the body, it displays poor [biocompatibility](#).

"This means that upon exposure to this polymer, the body has potential toxic or immunological responses, which are not ideal in an already damaged tissue which we are trying to regenerate. This severely limits which hydrogel components can be successfully incorporated to create conductive scaffolds," she added.

Novel PEDOT nanoparticles (NPs) were developed in the study to overcome this limitation. Synthesis of conductive PEDOT NPs allows

for the tailored modification of the surface of the NPs to achieve desired cell response and increasing the variability of which hydrogel components can be incorporated, without the required presence of PSS for water solubility.

In this work, hybrid biomaterials comprised of gelatin and immunomodulatory hyaluronic acid, a material which Professor Collins has developed over many years at UL, was combined with the developed novel PEDOT NPs to create biocompatible electroconductive scaffolds for targeted spinal cord injury repair.

A complete study of the structure, property, and function relationships of these precisely designed scaffolds for optimized performance at the site of injury was carried out, including in-vivo research with rat spinal cord injury models, undertaken by Ms. Serafin during a Fulbright research exchange to the University of California San Diego Neuroscience Department, which was a partner on the project.

"The introduction of the PEDOT NPs into the biomaterial increased the conductivity of samples. In addition, the mechanical properties of implanted materials should mimic the tissue of interest in tissue engineered strategies, with the developed PEDOT NP scaffolds matching the mechanical values of the native spinal cord," explained the researchers.

Biological response to the developed PEDOT NP scaffolds were studied with stem cells in-vitro and in animal models of spinal cord injury in-vivo. Excellent stem cell attachment and growth on the scaffolds was observed, they reported.

Testing showed greater axonal cell migration towards the site of spinal cord injury, into which the PEDOT NP scaffold was implanted, as well as lower levels of scarring and inflammation than in the injury model

which had no scaffold, according to the study.

Overall, these results show the potential of these materials for spinal cord repair, say the research team.

"The impact that spinal cord injury has on a patient's life is not only physical, but also psychological, since it can severely affect the patient's mental health, resulting in increased incidences of depression, stress, or anxiety," explained Ms. Serafin.

"Treating spinal injuries will therefore not only allow for the patient to walk or move again but will allow them to live their lives to their full potential, which makes projects such as this one so vital to the research and medical communities. In addition, the overall societal impact in providing an effective treatment to [spinal cord injuries](#) will lead to a reduction in health care costs associated with treating patients. These results offer encouraging prospects for patients and further research into this area is planned.

"Studies have shown that the excitability threshold of motor neurons on the distal end of a spinal cord [injury](#) tends to be higher. A future project will further improve the scaffold design and create conductivity gradients in the scaffold, with the conductivity increasing towards the distal end of the lesion to further stimulate neurons to regenerate," she added.

**More information:** Aleksandra Serafin et al, Electroconductive PEDOT nanoparticle integrated scaffolds for spinal cord tissue repair, *Biomaterials Research* (2022). [DOI: 10.1186/s40824-022-00310-5](https://doi.org/10.1186/s40824-022-00310-5)

Provided by University of Limerick

Citation: Novel research demonstrates new method of spinal cord tissue repair (2022, November 29) retrieved 20 July 2023 from

<https://medicalxpress.com/news/2022-11-method-spinal-cord-tissue.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.